

USA PRICE LIST

Effective July 1, 2025

Supercedes all previous pricing Companion Catalog for this price list is June 24, 2024 / No. 115 DCAT



Table of Contents

Ovens	3-5
Artisan Stone Deck Ovens	5-6
Pizza Ovens	6
Oven/Proofer Combinations	7
Proofers & Retarder/Proofers	8-9
Display Warmers	9
Planetary Mixers	10-11
Spiral Mixers	12
Dough Dividers & Rounders	13
Dough Sheeters	14
Bread Slicers	15
Water Meters and Chillers	15
Freight Policy, Handling & Installation Fees	16
Terms of Sale	17
Index	18
Warranty	19

CALL Doyon: To speak with a Customer Service Representative, call us at 800.338.9886. All orders must be received in writing via fax at 906.863.5889.

Doyon contracts with a large service network. Please call us for all parts and service related issues and we will set up a service call with a provider in your area.

FOR PARTS AND SERVICE or TOLL FREE 800.338.9886, ext. 6677 or email service@NU-VU.com



Doyon Roll-in Rack Convection Ovens SRO Series

High Volume Production Capability

Signature Rack Ovens

Model	Description	Catalog Page	List Price
SRO1E	Oven for single rack, electric	5	129,903
SRO1G	Oven for single rack, gas	5	137,014
SRO2E	Oven for one double rack or two side load racks, electric	5	141,561
SRO2G	Oven for one double rack or two side load racks, gas	5	148,457

Options	List Price
Assembly charge, required (SRO)	4,753 (net price)
Special site assembly charge (restricted access locations: prisons, hospitals, government, marine)	8,173 (net price)
Prison package (SROPRISON)	7,593
Water filter (50-1530)	2,540
Replacement water filter cartridge (50-1531)	805

Signature Rack Oven Racks

For SRO1, 8-pan capacity For SRO1, 10-pan capacity	6	4,429
For SRO1, 10-pan capacity		., .==
· ' ' ' '	6	4,635
For SRO1, 12-pan capacity	6	4,944
For SRO1, 15-pan capacity	6	5,252
For SRO1, 20-pan capacity	6	5,665
For SRO2, 16-pan capacity, side-load	6	5,511
For SRO2, 20-pan capacity, side-load	6	5,665
For SRO2, 24-pan capacity, side-load	6	6,283
For SRO2, 30-pan capacity, side-load	6	6,592
For SRO2, 40-pan capacity, side-load	6	7,107
For SRO2, 8-pan capacity, side load	6	4,429
For SRO2, 10-pan capacity, side load	6	4,635
For SRO2, 12-pan capacity, side load	6	4,944
For SRO2, 15-pan capacity, side load	6	5,278
For SRO2, 20-pan capacity, side load	6	5,610
	or SRO1, 12-pan capacity or SRO1, 15-pan capacity or SRO1, 20-pan capacity or SRO2, 16-pan capacity, side-load or SRO2, 20-pan capacity, side-load or SRO2, 24-pan capacity, side-load or SRO2, 30-pan capacity, side-load or SRO2, 40-pan capacity, side-load or SRO2, 8-pan capacity, side load or SRO2, 10-pan capacity, side load or SRO2, 12-pan capacity, side load or SRO2, 15-pan capacity, side load or SRO2, 20-pan capacity, side load or SRO2, 20-pan capacity, side load	for SRO1, 12-pan capacity or SRO1, 15-pan capacity or SRO1, 20-pan capacity or SRO2, 16-pan capacity, side-load or SRO2, 20-pan capacity, side-load or SRO2, 24-pan capacity, side-load or SRO2, 30-pan capacity, side-load or SRO2, 30-pan capacity, side-load or SRO2, 40-pan capacity, side-load or SRO2, 8-pan capacity, side-load or SRO2, 10-pan capacity, side load or SRO2, 12-pan capacity, side load or SRO2, 15-pan capacity, side load



^{*}Two Single Side Load Racks are required for use in SRO2E/SRO2G

Doyon Convection Ovens Circle Air Series

Ultimate Uniform Proof and Bake



CA6X with optional CA6PX proofer base

CA6X Series

Model	Description	Catalog Page	List Price
CA6X	Single oven, capacity 12 half-size/6 full size sheet pans, electric	7	43,472
CA6XG	Single oven, capacity 12 half-size/6 full size sheet pans, gas	7	52,879

Options	List Price
Water filter (PLF240)	840
Nickel plated pizza decks (GRPIZ3)	823
Wire shelf for CA6X & CA6XG (GR17T26)	278
Gas quick connection kit (1675KIT/GAH600); CA6XG only	904
Stacking kit (CA6STACKING)	1,542
Equipment stand (CA6B)	3,939
Proofer base (CA6PX)	17,270
Wire shelf for CA6PX proofer base (GR2635)	439
International Voltage (Must Specify)	Call Factory

Doyon Convection Ovens Jet Air Series

Superior Air Flow





JA Series

Model	Description	Catalog Page	List Price
JA4	Jet Air Convection Oven, capacity 4 full size sheet pans, electric	9	23,288
JA4SC	Jet Air Convection Oven on casters, capacity 4 full size sheet pans, electric	9	29,121
JA6	Jet Air Convection Oven, capacity 6 full size sheet pans, electric	9	26,932
JA6SL	Jet Air Convection Oven, capacity 6 full size sheet pans, side-load, electric	9	26,678
JA6G	Jet Air Convection Oven, capacity 6 full size sheet pans, gas	9	60,055
JA8X*	Jet Air Convection Oven, capacity 8 full size sheet pans, electric	9	39,314
JA8XG*	Jet Air Convection Oven, capacity 8 full size sheet pans, gas	9	50,778
JA8XR*	Jet Air Convection Oven, retherm mode, capacity 8 full size sheet pans, electric	9	42,618
JA12SL	Jet Air Convection Oven, dual oven, capacity 12 full sz. pans, side-load, electric	9	47,052
JA14	Jet Air Convection Oven, dual oven, capacity 14 full size sheet pans, electric	9	50,416
JA14G	Jet Air Convection Oven, dual oven, capacity 14 full size sheet pans, gas	9	63,144
JA28	Jet Air Convection Oven, quad oven, capacity 28 full size sheet pans, electric	10	95,978
JA28G	Jet Air Convection Oven, quad oven, capacity 28 full size sheet pans, gas	10	117,697

Doyon Convection Ovens Jet Air Series

Doyon Ovens Artisan Stone Deck Series

Options	List Price
Water Filter (PLF240)	840
High temperature door gasket, per section (HTG001):	1,292
n/a on JA8X, JA8XR & JA8XG	
Equipment stand:	
JA4 (JA4B)	3984
JA6, JA6G (JA6B)	3836
JA6SL (JA6SLB)	3868
JA8X, JA8XG, JA8XR (JA8B)	3945
Nickel-plated pizza shelf	
JA4, JA4SC, JA12SL (GRPIZ3)	823
JA6, JA6SL, JA6G, JA28, JA28G (GRPIZ6)	933
JA8X, JA8XG, JA8XR, JA14, JA14G (GRPIZ8)	881
Gas connection kit	
JA6G, JA8XG, JA14G (GAH600)	904
JA28G (GAH700)	2,014
International Voltage (Must Specify)	Call Factory











See next page for options

Artisan Deck Ovens (chamber heights of 6", 8", 10", 12"; specify when ordering)

Model	Description	Catalog Page	List Price
1T1	Single deck, single pan capacity	12	26,279
1T2	Two deck, single pan capacity (per deck)	12	41,261
1T3	Three deck, single pan capacity oven (per deck)	12	57,757
1T4	Four deck, single pan capacity (per deck)	12	73,741
2T1	Single deck, two pan capacity	13	34,902
2T2	Two deck, two pan capacity (per deck)	13	60,553
2T3	Three deck, two pan capacity oven (per deck)	13	85,954
2T4	Four deck, two pan capacity (per deck)	13	109,457
3T1	Single deck, three pan capacity	14	47,650
3T2	Two deck, three pan capacity (per deck)	14	80,588
3T3	Three deck, three pan capacity (per deck)	14	112,826
3T4	Four deck, three pan capacity (per deck)	14	147,442
4T1	Single deck, four pan capacity	15	55,230
4T2	Two deck, four pan capacity (per deck)	15	96,560
4T3	Three deck, four pan capacity (per deck)	15	128.986
4T4	Four deck, four pan capacity (per deck)	15	177,285

Pan size: 18"x26" full size sheet pans

Doyon Ovens Artisan Stone Deck Ovens

Options	List Price
Loaf Loader	
1T, 2T, 3T (LL)	906
4T (LL4T)	1,169
Ship decks separately, each deck (ARTISANSHIP)	contact factory
Standard proofer (1-2 deck ovens only)	
1T (ES1T)	16,140
2T (ES2T)	22,647
3T (ES3T)	27,073
4T (ES4T)	30,376
Low profile proofer (3 deck ovens only)	
1T3 (ES1TP)	14,507
2T3 (ES2TP)	20,305
3T3 (ES3TP)	25,761
4T3 (ES4TP)	27,653







	96
Options	List Price
Water Filter (50-1530)	2,540
Replacement water filter cartridge (50-1531)	805
Cleaning brush (ARTISANBRUSH)	270
Change voltage from 3Ph to 1Ph (per deck)	2,220
Change voltage to 380-415V (per deck)	2,220
Change voltage to 440V (per deck)	2,220
Change voltage to 480V	no charge

Doyon Pizza Ovens

Fast and Even Heat Delivery

TRIO Ventless Rotating Rack Pizza Oven

Model	Description	Catalog Page	List Price
RPO3	Rotating deck oven, 3 individual pizza decks	17	22,119



PIZ Series

Model	Description	Catalog Page	List Price
PIZ3	Multi-purpose deck oven, capacity 3 18" pizzas, electric	18	26,080
PIZ3G	Multi-purpose deck oven, capacity 3 18" pizzas, gas	18	36,282
PIZ6	Multi-purpose deck oven, capacity 6 18" pizzas, electric	18	32,243
PIZ6G	Multi-purpose deck oven, capacity 6 18" pizzas, gas	18	37,723



Doyon Pizza Ovens

Options	List Price
Equipment stand	
RPO3 (RPOT)	2,310
PIZ3, PIZ3G (PIZ3B)	3,297
PIZ6, PIZ6G (PIZ6B)	3,349
Two deck kit (RPO3)	no charge
RPO3 Stacking kit:	
Bracket (50087211)	557
Low profile stand to hold 2 stacked ovens (RPOT2)	2,310
3 timers on each side of oven, PIZ models (3PIZTIMERS)	5,337
6 timers on one side, right/left, PIZ models (6PIZTIMERS)	5,392
Internal steam, PIZ3, PIZ6, electric models only (PIZSTEAMER) 2,228
Water filter (Only if Equipped with Steam) (PLF240)	840
480 voltage, PIZ3, PIZ6	no charge
Solid doors, PIZ models	no charge
Gas connection kit, PIZ3G, PIZ6G (GAH600@P)	2,052
Conform to EC for gas, PIZ3G, PIZ6G (PIZ3GEU, PIZ6GEU)	6,869
International Voltage (Must Specify)	Call Factory



PIZ3B Equipment Stand (shown with PIZ3 oven)



Doyon Convection Oven Proofer Combinations Jet Air Series

Superior Baking Flexibility

JAOP Series

Model	Description	Catalog Page	List Price
JAOP3	Oven Proofer, oven capacity 3 pans/proofer 9 pans, electric	21	34,381
JAOP6	Oven Proofer, oven capacity 6 pans/proofer 18 pans, electric	21	40,420
JAOP6SL	Oven Proofer, oven capacity 6 pans/proofer 9 pans, side-load, electric	21	40,769
JAOP6G	Oven Proofer, oven capacity 12 pans/proofer 18 pans, gas	21	45,084
JAOP12SL	Oven Proofer, oven capacity 12 pans/proofer 18 pans, side-load, electric	22	66,861
JAOP14	Oven Proofer, oven capacity 14 pans/proofer 32 pans, electric	22	68,761
JAOP14G	Oven Proofer, oven capacity 14 pans/proofer 32 pans, gas	22	81,458


Pan size: 18"x26" full size sheet pans

Options	List Price	Options	List Price
Water Filter (PLF240)	840	High temperature gasket, per section (HTG001)	1,292
Nickel plated pizza decks		Humidified warmer in proofer (HW001)	2,063
JAOP3, JAOP6SL, JAOP12SL(GRPIZ3)	823	Gas connection kit:	
JAOP6, JAOP6G, JAOP14, JAOP14G (GRPI	Z6) 933	JAOP6G, JAOP14G (GAH700)	2,014

Doyon Perfect Proofers and Retarder Proofers

Customizable and Connected







Retarder Proofers

Model	Description	Single End Load Rack	Single Side Load Rack	Double Rack	Catalog Page	List Price
KDPR11	Roll-in retarder proofer	1	2	1	23	50,796
KDPR12	Roll-in retarder proofer	3	4	2	23	70,187
KDPR13	Roll-in retarder proofer	5	6	3	23	93,269
KDPR21	Roll-in retarder proofer	3	4	2	23	60,180
KDPR22	Roll-in retarder proofer	8	8	4	23	116,402
KDPR23	Roll-in retarder proofer	12	12	6	23	155,047
KDPR31	Roll-in retarder proofer	4	6	3	23	70,400
KDPR32	Roll-in retarder proofer	11	12	6	23	154,303
KDPR33	Roll-in retarder proofer	16	18	9	23	192,500

Proofers

Model	Description	Single End Load Rack	Single Side Load Rack	Double Rack	Catalog Page	List Price
KDP11	Roll-in proofer	1	2	1	24	39,655
KDP12	Roll-in proofer	3	4	2	24	54,208
KDP13	Roll-in proofer	5	6	3	24	64,152
KDP21	Roll-in proofer	3	4	2	24	45,310
KDP22	Roll-in proofer	8	8	4	24	60,690
KDP23	Roll-in proofer	12	12	6	24	102,784
KDP31	Roll-in proofer	4	6	3	24	66,413
KDP32	Roll-in proofer	11	12	6	24	101,376
KDP33	Roll-in proofer	16	18	9	24	115,044

Options	List Price
Water filter (50-1530)	2,450
Replacement Filter Cartridge (50-1531)	805
Door bumpers, per door (DB)	203
Factory installation and startup	4,200
Factory startup (install not included)	See page 17
Viewing window in doors (per door)	2,400

Options	List Price
Pass-through	
KDP11, KDP12, KDP13	2,645
KDPR11, KDPR12, KDPR13	2,645
KDP21, KDP22, KDP23, KDP31, KDP32, KDP33	4,896
KDPR21, KDPR22, KDPR23, KDPR31, KDPR32, KDPR33	4,896

Doyon Proofers



Precise Mix of Heat and Humidity

Proofers

Model	Description	Catalog Page	List Price
DRIP1	Roll-in rack proofer, single rack for 36 18"x26" sheet pans	25	22,825
DRIP1TLO	Roll-in rack proofer, two single racks or one double (TLO) rack	25	22,346
E236R	Roll-in rack proofer, two single racks	26	23,934
E236	Roll-in rack proofer, 1 + 10 shelves or two single racks	26	30,340
E236TLO	Roll-in rack proofer, 4 single racks or two double (TLO) racks	26	30,042
E336R	Roll-in rack proofer, 3 single racks	26	37,300
E336	Roll-in rack proofer, 2 + 10 shelves or 3 single racks	26	39,827
E336TLO	Roll-in rack proofer, 6 single racks	26	39,370

Racks not included

Options	List Price
Water filter, DRIP1, DRIP1TLO (PLF240)	799
Prison Package (PROOFPP)	1,275
Solid door, per door (SD)	1,426
Door bumpers, per door (DB)	213
Additional side shelving, E236R only (SR26)	1,452
Additional side shelving, E336R only (SR36)	4,464

Doyon Display Warmers







"Fresh from the Oven" Quality

Display Warmers

Model	Description	Catalog Page	List Price
DRP3	Display warmer, 3 wire shelves	27	4,746
DRPR3	Display warmer, rotating rack, 3 pizza capacity	27	5,695
DRP4S	Display warmer, 4 wire shelves	27	5,485
DRPR4S	Display warmer, rotating rack, 4 pizza capacity	27	6,101
DRP4	Display warmer, 4 wire shelves, pizza graphic	27	5,695
DRPR4	Display warmer, rotating rack, 4 pizza capacity, pizza graphic	27	6,089

Options	List Price
Pass-thru (DRPPT)	1,170

Doyon Planetary Mixers

Heavy-Duty Mixing





SM Series General Purpose Planetary Mixers

Model	Description	Catalog Page	List Price
SM200	20 Qt. Mixer, 1/2 HP; includes bowl, flat beater, whip and dough hook	29	7,771
SM300	30 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook	29	12,428
SM402NA	40 Qt. Mixer, 1.5 HP; includes bowl, flat beater, whip and dough hook	29	16,826

Options: SM Mixers			List Price
Slicer attachment (SM1000	5,086		
Meat grinder attachment (S	1,121		
Stand for SM200 (SM200T	Stand for SM200 (SM200T)		
Extras	SM200	SM300	SM402NA
Dough hook (C)	495	906	1,825
Beater (P)	581	760	630
Whip (F)	893	1,162	741
Bowl (B)	1,320	1,554	1,545



BTF & BTL Heavy-Duty Planetary Mixers

Model	Description	Catalog Page	List Price
BTF010	10 Qt. Mixer, 1/2 HP; includes bowl, flat beater, whip and dough hook	30	15,435
BTF020	20 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook	30	18,375
BTF040	40 Qt. Mixer, 3 HP; includes bowl, flat beater, whip and dough hook	30	27,076
BTF060	60 Qt. Mixer, 4 HP; includes bowl, flat beater, whip and dough hook	30	31,501
BTF040H	40 Qt. Mixer, 3 HP with hub: includes bowl, flat beater, whip and dough hook	30	34,611
BTF060H	60 Qt. Mixer, 4 HP with hub; includes bowl, flat beater, whip and dough hook	30	40,590
BTL020	21 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook	30	19,984
BTL100	100 Qt. Mixer, 4 HP; includes bowl, flat beater, whip and dough hook	31	101,883
BTL140	140 Qt. Mixer, 5-1/3 HP; includes bowl, flat beater, whip and dough hook	31	92,664
BTL100H	100 Qt., Mixer, 4 HP with hub; includes bowl, flat beater, whip and dough hook	31	116,708
BTL140H	140 Qt. mixer, 5-1/3 HP with hub; includes bowl, flat beater, whip and dough hook	31	112,845

Doyon Planetary Mixers Accessories



SM100CL slicer attachment



SM100HV meat grinder attachment

Options: BTF & BTL	List Price
Slicer attachment (SM100CL)	5,086
Meat grinder attachment (SM100HV)	1,121
Stainless steel finish (suffix I)	add 35%
International Voltage; BTF060 and larger	1891
Touchscreen controls	9,030
Feet for floor anchorage	1,838
Electric bowl lift (except BTF010 & BTF020)	7,245
BTF010 only:	
Equipment stand (BTF020T)	2,793
10 qt dough hook (BTF010C)	830
10 qt flat beater (BTF010P)	893
10 qt whip (BTF010F)	980
10 qt bowl (BTF010B)	1,618
BTF020 only:	
Equipment stand (BTF020T)	2,793
20 qt dough hook (BTF020C)	987
20 qt flat beater (BTF020P)	1,075
20 qt whip (BTF020F)	1,181
20 qt bowl (BTF020B)	1,906
10 qt reduction kit (BTF020A)	3,728
BTF040 only:	
20 qt reduction kit (BTF040A);	4,835
includes 20 qt bowl, dough hook,	
flat beater and whip	
20 qt dough hook (BTF040AC)	1,308
20 qt whip (BTF040AF)	1,466
20 qt flat beater (BTF040AP)	1,308
20 qt bowl (BTF040AB)	1,906
40 qt dough hook (BTF040C)	1,239
40 qt whip (BTF040F)	1,901
40 qt flat beater (BTF040P)	1,323
40 qt bowl (BTF040B)	2,573
40 qt bowl dolly (BTF040D)	2,016

Options: BTF & BTL	List Price
BTF060 only:	
40 qt reduction kit (BTF060A);	5,985
includes 40 gt bowl, dough hook,	
flat beater and whip	
40 qt dough hook (BTF060AC)	1,529
40 qt whip (BTF060AF)	1,697
40 qt flat beater (BTF060AP)	1,647
40qt bowl (BTF060AB)	5,035
60 qt dough hook (BTF060C)	1,449
60 qt whip (BTF060F)	1,901
60qt flat beater (BTF060P)	1,492
60 qt bowl (BTF060B)	3,380
60 qt bowl dolly (BTF060D)	2,184
60 qt bowl scraper (BTF060S)	2,760
BTL100 only:	
100 qt bowl (BTL100B)	8,538
100 qt dough hook (BTF100C)	3,877
100 qt whip (BTF100F)	3,735
100 qt paddle (BTF100P)	4,444
100 qt scraper (BTF100S)	3,309
100 qt bowl dolly (BTL100D)	4,977
BTL140 only:	
140 qt bowl (BTL140B)	9,988
140 qt dough hook (BTF140C)	4,573
140 qt whip (BTF140F)	4,912
140 qt paddle (BTF140P)	4,573
140 qt scraper (BTF140S)	3,213
140 qt bowl dolly (BTL140D)	4,977
80 qt bowl for BTL140 (BTL140AB)	7,247













Doyon Spiral Mixers

Bowl Drain for Easy Cleaning







AEF Series Stationary Bowl Mixers

Model	Description	Catalog Page	List Price
AEF015SP	Stationary bowl mixer, 48 lb dough capacity; includes bowl and mixing tools*	34	23,652
AEF025SP	Stationary bowl mixer, 55 lb dough capacity; includes bowl and mixing tools*	34	31,135
AEF035SP	Stationary bowl mixer, 110 lb dough capacity; includes bowl and mixing tools*	34	38,915
AEF035	Stationary bowl mixer, 110 lb dough capacity; includes bowl and mixing tools**	34	43,070
AEF050	Stationary bowl mixer, 159 lb dough capacity; includes bowl and mixing tools**	34	50,706
AEF080	Stationary bowl mixer, 254 lb dough capacity; includes bowl and mixing tools**	34	63,612
AFR100	Stationary bowl mixer, 352 lb. dough capacity; includes bowl and mixing tools**	34	76,238
AFR150	Stationary bowl mixer, 529 lb. dough capacity; includes bowl and mixing tools**	34	85,009

^{*}single phase; **3 phase

Options: AEF/AFR Mixers	List Price
Stainless steel construction Scraper & paddle attachments available for AEF/AFR mixers International Voltage (Must Specify)	add 35% Call Factory Call Factory

Doyon Divider Rounders

Removable Dough Press Head

Semi-Automatic Divider/Rounders

Model	Description	Catalog Page	List Price
DSA4415	15 portion divider rounder; 4kg dough capacity	36	35,966
DSA4422	22 portion divider rounder; 4kg dough capacity	36	31,013
DSA4330	30 portion divider rounder; 3kg dough capacity	36	30,272
DSA4336	36 portion divider rounder; 3kg dough capacity	36	31,013
DSA4354	54 portion divider rounder; 3kg dough capacity	36	35,966
DSA4430	30 portion divider rounder, 4kg dough capacity	36	31,013
DSA4436	36 portion divider rounder, 4kg dough capacity	36	31,013



Portion weight based on hydration ratio of 55-65%

Options: DSA Divider Rounders	List Price
<u> </u>	
Stainless steel construction (Suffix I)	add 3,990
International Voltage (Must Specify)	Call Factory
Additional press heads, includes plates* (DSAHXXXX; XXXX= Model's suffix)	9,345
*Requires Head Set Ring If Moving Between DSA43XX & DSA44XX	·
Head Set Ring:	
30226300000011 for DSAH4330, DSAH4336, DSAH4354	1,203
30226000300231 for DSAH4415, DSAH4422, DSAH4430, DSAH443	36 1,204
Dough Plate:	
30226410000031 for DSA4415	903
30226420000031 for DSA4422	903
30226330000031 for DSA4330	903
30226360000031 for DSA4336	903
30226540000031 for DSA4354	903
30226430000031 for DSA4430	903
30226460000031 for DSA4436	903



Automatic Dough Divider and Rounder

Model	Description	Catalog Page	List Price
D20	20 portion hydraulic divider	38	38,066
DR45	Automatic rounder; rounds portions from 7 to 36 oz.	38	23,049

Portion weight dependent on hydration ratio



Reversible Sheeters

More Standard Features

LMA630 shown with optional croissant cutter

LSA/LMA Series Reversible Sheeters

Model	Description	Catalog Page	List Price
LSA516	Countertop sheeter; 71-1/2" wide	39	29,386
LSA520	Countertop sheeter; 91.1/4" wide	39	28,721
LMA620	Free-standing sheeter; 91-1/4" wide	39	36,659
LMA624	Free-standing sheeter; 107" wide	39	37,960
LMA630	Free-standing sheeter, 130-3/4 wide	39	37,510

Options: LSA/LMA Reversible Sheeters	List Price
Stainless steel construction, LMA Sheeters (LMAS)	8,453
Stainless steel construction, LSA Sheeters (LSAS)	8,517
Croissant cutter housing; requires cutters (RCM001)	8,765
3 croissant cutter; required with housing (CPL001)	7,332
4 croissant cutter; required with housing (CPL002)	7,937
Equipment stand for LSA series sheeters (LSB516T)	2,589
International Voltage (Single Phase Only, Must Specify)	901



LSA516

Countertop Sheeters

Consistent Portions







DL Series Dough Sheeters

Model	Description	Catalog Page	List Price
DL12SP	Single roll sheeter; 12" dough width	40	5,211
DL12DP	Double roll sheeter; angled rollers for round product; 12" dough width	40	8,030
DL18SP	Single roll sheeter; 18" dough width	40	6,264
DL18P	Double roll sheeter; parallel rollers; 18" dough width	40	9,191
DL18DP	Double roll sheeter; angled rollers for round product; 18" dough width	40	9,040

Options: DL Series Sheeters	List Price
Foot pedal; for DL12DP, DL18P, DL18DP only (PC100091)	939
CSST Conformity kit for Quebec (DLCSST)	1,116
International Voltage (Must Specify)	Call Factory



Slice 250 Loaves Per Hour

SM/CPF Bread Slicers

Model	el Description		List Price
SM302	Bread slicer for loaves up to 5" high; 5/8" slices	41	7,182
SM302A	Bread slicer for loaves up to 5" high; 3/4" slices	41	6,300
SM302B	Bread slicer for loaves up to 5" high; 1/2" slices	41	6,300
SM302C	Bread slicer for loaves up to 5" high; 1" slices	41	6,300
CPF412	Bread slicer for loaves up to 17-5/6"; slicing thickness: 1/2"	41	23,433
CPF416	Bread slicer for loaves up to 17-5/6"; slicing thickness: 5/8"	41	23,652
CPF418	Bread slicer for loaves up to 17-5/6"; slicing thickness: 3/4"	41	23,433
CPF422	Bread Slicer for loaves up to 17-5/6"; slicing thickness: 7/8"	41	23,652

For soft, sandwich style bread only

Options: SM302 Series Only	List Price
Stainless steel equipment stand (SM302T)	2,513
International Voltage (Must Specify)	Call Factory

Water Meter & Chiller





Assure Product Quality

Water Meter

Model	Description	Catalog Page	List Price
DAF001	Water meter; digital control; 3.6 to 72.6 psi; min/max temperature	42	6,240
RAF100	Water chiller; single tank, 100 liter (26 gallon) capacity	42	15,658

Options	List Price
International Voltage (Must Specify)	Call Factory

Freight Policy, Handling and Installation Fees

US Equipment Freight Policy

All freight will be quoted by the factory. To receive a freight quote, call 800.338.9886 or email sales@NU-VU.com. Please supply the

following information: -Ship to Zip Code

-Product Model Number(s)

-Quantity

A quote number will be provided and must be placed on any purchase order to get the special quoted rate. All freight quotes are valid for (30) thirty days. Extra Charges for Special Services are additional:

Call Before Delivery: \$55 Inside Delivery: \$80 per oven

Liftgate Delivery: \$150 Construction Site Delivery: \$115

Doyon reserves the right to bill any and all additional accessorial services not sent in writing or listed on the PO before shipping from our factory, and added on after the fact at the time of delivery without our notification or approval.

Accessory Handling Fee

Doyon reserves the right to charge a handling fee on all sales of products deemed as accessories. These are classified as:

- -Mixer attachments
- -Water filters
- -Wire racks/shelves
- -Gas connection kit
- -Interchangeable divider head and/or dough plates
- -Drip trough
- -Nickel plated pizza deck
- -Loaf loader
- -Artisan deck brush
- -Foot pedal for DL series dough sheeter
- -Croissant cutter/housing for LMA630

Handling fee based on service level (Ground, Next Day Air, etc.) and number of packages.

Startup and Installation

<u>Installation:</u> Installation and startup are not included in the pricing for any item. Startup and installation are the responsibility of the buyer, its agent, contractor, as the case may be. Prices are net, no discounts.

Startup Fees:

Electric oven/proofer, DRIP Series, PIZ electric \$965.00
Artisan Ovens \$965.00
Gas oven/proofer, JA/CA Series, PIZ gas \$965.00
E236 Series, E336 Series \$965.00
Retarder proofer \$965.00

Perfect Proofer Startup and Installation

<u>Installation:</u> Installation and startup are not included in the pricing for any item. Startup and installation are the responsibility of the buyer, its agent, contractor, as the case may be. Prices are net—no discounts.

Model	Installation with Startup	Startup Only
KDP11	4,200	704
KDP12	4,200	761
KDP13	4,200	932
KDP21	4,200	704
KDP22	4,200	761
KDP23	4,200	932
KDP31	4,200	704
KDP32	4,200	761
KDP33	4,200	932

Model	Installation with Startup	Startup Only
KDPR11	4,200	704
KDPR12	4,200	761
KDPR13	4,200	932
KDPR21	4,200	704
KDPR22	4,200	761
KDPR23	4,200	932
KDPR31	4,200	704
KDPR32	4,200	761
KDPR33	4,200	932

Terms of Sale

Doyon is committed to continuous improvement of the Customer experience. With that in mind, the following Terms & Conditions are for clarification to ensure smooth business transactions. If you need to return items, refer to the below for specific guidelines.

Terms and Method of Payment

All orders are subject to approval and acceptance by SELLER. No order accepted by SELLER shall be subject to cancellation, termination, suspension, change, reduction, cutback or other modification except with SELLERS'S prior written consent based upon the Returns and Cancellations Policy.

SELLER'S standard terms of payment are for net 30 days from invoice date, with approved credit. The terms of credit, if extended, may be changed or credit may be withdrawn by SELLER at any time. Cash in advance (CIA) may be required on payments that are late more than twice during the calendar year or for new unestablished customers. No orders will be shipped on a Cash on Demand (COD) basis.

Late payments are subject to penalty based on the invoice subtotal in the following manner:

15 days past due – 1.0% 30 days past due – 1.5% 45 days past due – 2.0%

60 or more days past due - 10.0%

Prices do not include federal, state or local taxes, duties or other levies, now or hereafter enacted, applicable to the items deliverable under the sales order or invoice (hereinafter called ITEMS), which taxes, duties or other levies will be added by SELLER to the sales price and will be paid by BUYER unless BUYER provides SELLER with a proper Exemption certificate.

Packing for commercial shipment is included in contract price. Any special packaging, crating, or shipping instructions must be noted on BUYER'S original order and acknowledged by SELLER.

Title and Delivery

ITEMS shall be delivered FOB SELLER'S facility, and title thereto Shall pass to BUYER, upon SELLER'S delivery of the ITEMS to a Common carrier for shipment to BUYER.

Any pre-paid freight must be acknowledged by SELLER.

Orders qualifying for pre-paid freight, SELLER has the right to select the means of transportation.

Any accessorial charges incurred because of Customer request will be the responsibility of the requester.

Inspection and Acceptance

Thoroughly inspect all shipments. Do not accept a damaged or short shipment until exception is noted on the freight bill and pictures have been taken. BUYER will be held responsible for all shipments with freight bills signed free and clear.

If concealed damage is discovered, contact the freight company immediately for inspection and file a claim. Concealed damage must Be reported to the carrier within 7 days of receipt.

All damaged goods and shortages that are not properly documented and reported upon receipt become the sole responsibility of the BUYER.

Returns and Cancellations Policy

No returns will be accepted without an authorization number from Doyon Customer Service, utilizing the following criteria:

Order Changes & Cancellations 14 days prior to shipping may incur a 15% fee. Return requests must be submitted within 30 days of Shipment Date and will incur a 50% Restocking Fee, Customer pays freight and is responsible for any damage enroute. Subject to approval for new, unused equipment only.

No returns for SRO Series and KDP/KDPR Series products at any time.

No returns for Custom/Special Order products at any time.

Warranty Issue

Please contact service@nu-vu.com for all Doyon related warranty issues.

General

All prices are subject to change without notice. Orders from Authorized accounts will be accepted with the understanding that prices are those in effect at time of shipment. These prices are exclusive of all sales taxes with may be levied by State, Federal, or City governments

SELLER'S "Terms and Conditions" as set forth above shall govern all transactions

SELLER reserves the right to change or discontinue the color, design, component content or price of any ITEMS in SELLER'S catalog or published price lists without prior notice at any time.

Ordering Information

How to Place an Order:

- -Federal ID Numbers: required for U.S. Customs purposes from all dealers (n/a/ in Canada)
- -All orders are subject to acceptance by the local representative and our office
- -All orders must have the dealer's name, address, phone number, purchase order number, purchase order dollar amount, and method of communication for all electronic invoices and order acknowledgements.
- -All orders must include a requested ship date, ship to address, job name and location
- -If you have requested a freight quote and wish to use the freight rate issued by the factory, you are required to place the issued freight quote number on the purchase order when sending it to the factory.

International Orders: All international orders must specify either CE or Non-CE specific products. All purchase orders submitted to the factory must include a complete electrical questionnaire. Any orders outside the US and Canada will be subject to a 5% Warranty Administration Fee, added to the invoice. These orders may be subject to other charges, including but not limited to, utility configuration and/or CE approval fees, international documentation fees, etc. Please contact the factory for specific details. Notes: Doyon reserves the right, without prior notice, to make changes and revisions in product specifications, design and materials which, in the opinion of the company will provide greater efficiency, performance and durability.

Pricing by Model Number

Model	List Price
1T1	26,279
1T2	41,261
1T3	57,757
1T4	73,741
2T1	34,902
2T2	60,553
2T3	85,954
2T4	109,457
3T1	47,650
3T2	80,588
3T3	112,826
3T4	147,442
4T1	55,230
4T2	96,560
4T3	128,986
4T4	177,285
AEF015SP	23,652
AEF025SP	31,135
AEF035	43,070
AEF035SP	38,915
AEF050	50,706
AEF080	63,612
AFR100	76,238
AFR150	85,009
BTF010	15,435
BTF020	18,375
BTF040	27,076
BTF040H	34,611
BTF060	31,501
BTF060H	40,590
BTL020	19,984
BTL100	101,883
BTL100H	116,708
BTL140	92,664
BTL140H	112,845
CA6X	43,472
CA6XG	52,879
CA6PX	52,879
CPF412	23,433

Model List Price CPF416 23,652 CPF418 23,433 CPF422 23,652 D20 38,066 DAF001 6,240 DL12DP 8,030 DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 31,013 DSA44330 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4336 9,345		
CPF418 23,433 CPF422 23,652 D20 38,066 DAF001 6,240 DL12DP 8,030 DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4430 9,345 DSAH4436 9,34	Model	List Price
CPF422 23,652 D20 38,066 DAF001 6,240 DL12DP 8,030 DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA44330 30,272 DSA4336 31,013 DSA4336 31,013 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436	CPF416	23,652
D20 38,066 DAF001 6,240 DL12DP 8,030 DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436	CPF418	23,433
DAF001 6,240 DL12DP 8,030 DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 30,272 DSA4330 30,272 DSA4336 31,013 DSA4430 31,013 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4430 9,345 DSAH4436 <	CPF422	23,652
DL12DP 8,030 DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1DO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4330 30,272 DSA4336 31,013 DSA4336 31,013 DSA4430 31,013 DSA4436 31,013 DSAH436 31,013 DSAH436 31,013 DSAH436 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 <	D20	38,066
DL12SP 5,211 DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 <t< td=""><td>DAF001</td><td>6,240</td></t<>	DAF001	6,240
DL18DP 9,040 DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 30,272 DSA4336 31,013 DSA4336 31,013 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH430 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 30,340 E236 30,340 E236R 23,934 E236R	DL12DP	8,030
DL18P 9,191 DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 31,013 DSA4336 31,013 DSA4336 31,013 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4430 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 <td>DL12SP</td> <td>5,211</td>	DL12SP	5,211
DL18SP 6,264 DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 30,340 E236R 23,934 E236R 39,827 E336R 37,300	DL18DP	9,040
DR45 23,049 DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 30,272 DSA4336 31,013 DSA4336 31,013 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 30,340 E236 30,340 E236R 23,934 E236TLO 30,042 E336R	DL18P	9,191
DRIP1 22,825 DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSA4436 31,013 DSA4436 31,013 DSA4436 9,345 DSAH4415 9,345 DSAH4430 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DL18SP	6,264
DRIP1TLO 22,346 DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4430 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH4430 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336R 37,300	DR45	23,049
DRP3 4,746 DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4336 31,013 DSA4436 31,013 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4415 9,345 DSAH4430 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4330 9,345	DRIP1	22,825
DRP4 5,695 DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSA4436 31,013 DSA44415 9,345 DSAH4415 9,345 DSAH4430 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DRIP1TLO	22,346
DRP4S 5,485 DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4415 9,345 DSAH4430 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH4336 9,345 E336 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DRP3	4,746
DRPR3 5,695 DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4415 9,345 DSAH4430 9,345 DSAH4330 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DRP4	5,695
DRPR4 6,089 DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSA4436 31,013 DSA44415 9,345 DSAH4415 9,345 DSAH4430 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DRP4S	5,485
DRPR4S 6,101 DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336R 37,300	DRPR3	5,695
DSA4415 35,966 DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4436 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DRPR4	6,089
DSA4422 31,013 DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH430 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DRPR4S	6,101
DSA4330 30,272 DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH430 9,345 DSAH4430 9,345 DSAH4436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4415	35,966
DSA4336 31,013 DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4422	31,013
DSA4354 35,966 DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4336 9,345 DSAH436 9,345 DSAH4430 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4330	30,272
DSA4430 31,013 DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4336	31,013
DSA4436 31,013 DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4354	35,966
DSAH4415 9,345 DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4430	31,013
DSAH4422 9,345 DSAH4330 9,345 DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSA4436	31,013
DSAH4330 9,345 DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4415	9,345
DSAH4336 9,345 DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4422	9,345
DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4330	9,345
DSAH4354 9,345 DSAH4430 9,345 DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4336	9,345
DSAH4436 9,345 E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4354	
E236 30,340 E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4430	9,345
E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	DSAH4436	9,345
E236R 23,934 E236TLO 30,042 E336 39,827 E336R 37,300	E236	30,340
E336 39,827 E336R 37,300	E236R	
E336R 37,300	E236TLO	30,042
	E336	39,827
	E336R	37,300
	E336TLO	

Model	List Price
JA12SL	47,052
JA14	50,416
JA14G	63,144
JA28	95,978
JA28G	117,697
JA4	23,288
JA4SC	29,121
JA6	26,932
JA6G	60,055
JA6SL	26,678
JA8X	39,314
JA8XG	50,778
JA8XR	42,618
JAOP12SL	66,861
JAOP14	68,761
JAOP14G	81,458
JAOP3	34,381
JAOP6	40,420
JAOP6G	45,084
JAOP6SL	40,769
KDP11	39,655
KDP12	54,208
KDP13	64,152
KDP21	45,310
KDP22	60,690
KDP23	102,784
KDP31	66,413
KDP32	101,376
KDP33	115,044
KDPR11	50,796
KDPR12	70,187
KDPR13	93,269
KDPR21	60,180
KDPR22	116,402
KDPR23	155,047
KDPR31	70,400
KDPR32	154,303
KDPR33	192,500
LMA620	36,659

Model	List Price
LMA624	37,960
LMA630	37,510
LSA516	29,386
LSA520	28,721
PIZ3	26,080
PIZ3G	36,282
PIZ6	32,243
PIZ6G	37,723
PLF240	840
RAF100	15,658
RPO3	22,119
RSRO1-10	4,635
RSR01-12	4,944
RSRO1-15	5,252
RSRO1-20	5,665
RSRO1-8	4,429
RSRO2-10	5,665
RSRO2-12	6,283
RSRO2-15	6,592
RSRO2-20	7,107
RSRO2-8	5,511
RSROSL-10	4,635
RSROSL-12	4,944
RSROSL-15	5,278
RSROSL-20	5,610
RSROSL-8	4,429
SM100CL	5,086
SM100HV	1,121
SM200	7,771
SM300	12,428
SM302	7,182
SM302A	6,300
SM302B	6,300
SM302C	6,300
SM402NA	16,826
SRO1E	129,903
SRO1G	137,014
SRO2E	141,561
SRO2G	148,457

See product pages for pricing on parts & accessories.

Limited Warranty

Two year parts and one year labor Doyon® limited warranty

(United States of America and Canada only)

This Doyon[®] warranty applies to all equipment that has been unaltered, properly installed and maintained in accordance with the Doyon® installation manuals.

Doyon® products are warranted to the original purchaser to be free from defects in material and workmanship for a period of two years from the date of original installation, not to exceed 30 months from the product manufactured date. This warranty does not apply to equipment damaged, abused or altered accidentally or intentionally or modified by unqualified service personnel or with missing or altered serial nameplates. In order to be warranted, the equipment from the original buyer must have been purchased through a reseller from the same country.

Doyon[®] agrees to repair or replace defective parts due to flaws in material or workmanship during the warranty period. Labor to repair or replace defective parts shall be warranted when performed by an authorized Doyon[®] service agency. Travel over 50 miles, holiday or overtime labor charges are not covered.

Proper installation, initial inspection, or normal maintenance such as lubrication, adjustment or calibration is the responsibility of the dealer, owner-user or installing contractor and is not covered by this warranty.

This warranty does not cover wear & tear items (lights bulbs, gaskets), temperature calibration or defects resulting from handling, abuse, misuse, nor shall it extend to any unit from which the serial number has been removed or altered or the unit is modified in any way, shape, or form by an unauthorized service personnel. As well our warranty does not covered damaged by flood, fire, or other acts of god. Nor will this warranty apply as regards to the immersion element damage by hard water.

Doyon[®] does hereby exclude and shall not be liable to purchaser for any consequential or incidental damages including but not limited to: damages of property, damages for loss of use, loss of time, loss of profits or income that are in direct result of a breach or warranty.

NOTE: Warranty excludes racks and bread cabinets. These items carry a (1) year limited parts warranty.

In no case, shall this warranty apply outside Canada and the Continental United States, unless the purchaser has a written agreement from Doyon.







5600 13th Street Menominee, MI 49858 800.338.9886













