



The Baking
Equipment
Experts

USA PRICE LIST








Effective January 1st, 2026

Supersedes all previous pricing
Companion Catalog for this price list is
January 1st, 2026 / No. 116 DCAT
Pricing in USD



800.338.9886 | sales@nu-vu.com | www.doyonbaking.com

Table of Contents

| | | |
|--|--|--------------|
|  | Ovens..... | 3-5 |
|  | Artisan Stone Deck Ovens..... | 5-6 |
|  | Pizza Ovens..... | 6 |
|  | Oven/Proofer Combinations..... | 7 |
|  | Proofers & Retarder/Proofers..... | 8-9 |
|  | Display Warmers..... | 9 |
|  | Planetary Mixers..... | 10-11 |
|  | Spiral Mixers..... | 12 |
|  | Dough Dividers & Rounders..... | 13 |
|  | Dough Sheeters..... | 14 |
|  | Bread Slicers..... | 15 |
|  | Water Meters and Chillers..... | 15 |
|  | Freight Policy, Handling & Installation Fees..... | 16 |
|  | Terms of Sale..... | 17 |
|  | Index..... | 18 |
|  | Warranty..... | 19 |

CALL Doyon: To speak with a Customer Service Representative, call us at 800.338.9886. All orders must be received in writing via fax at 906.863.5889.

Doyon contracts with a large service network. Please call us for all parts and service related issues and we will set up a service call with a provider in your area.
FOR PARTS AND SERVICE or TOLL FREE 800.338.9886, ext. 6677 or email service@NU-VU.com



Doyon Roll-in Rack Convection Ovens SRO Series

High Volume Production Capability

Signature Rack Ovens

| Model | Description | Catalog Page | List Price |
|-------|---|--------------|------------|
| SRO1E | Oven for single rack, electric | 5 | 129,903 |
| SRO1G | Oven for single rack, gas | 5 | 137,014 |
| SRO2E | Oven for one double rack or two side load racks, electric | 5 | 141,561 |
| SRO2G | Oven for one double rack or two side load racks, gas | 5 | 148,457 |

| Options | List Price |
|--|-------------------|
| Assembly charge, required (SRO) | 4,753 (net price) |
| Special site assembly charge (restricted access locations: prisons, hospitals, government, marine) | 8,173 (net price) |
| Prison package (SROPRISON) | 7,593 |
| Water filter (50-1530) | 2,540 |
| Replacement water filter cartridge (50-1531) | 805 |

Signature Rack Oven Racks

| Model | Description | Catalog Page | List Price |
|------------|--------------------------------------|--------------|------------|
| RSRO1-8 | For SRO1, 8-pan capacity | 6 | 4,429 |
| RSRO1-10 | For SRO1, 10-pan capacity | 6 | 4,635 |
| RSRO1-12 | For SRO1, 12-pan capacity | 6 | 4,944 |
| RSRO1-15 | For SRO1, 15-pan capacity | 6 | 5,252 |
| RSRO1-20 | For SRO1, 20-pan capacity | 6 | 5,665 |
| RSRO2-8 | For SRO2, 16-pan capacity, side-load | 6 | 5,511 |
| RSRO2-10 | For SRO2, 20-pan capacity, side-load | 6 | 5,665 |
| RSRO2-12 | For SRO2, 24-pan capacity, side-load | 6 | 6,283 |
| RSRO2-15 | For SRO2, 30-pan capacity, side-load | 6 | 6,592 |
| RSRO2-20 | For SRO2, 40-pan capacity, side-load | 6 | 7,107 |
| RSROSL-8* | For SRO2, 8-pan capacity, side load | 6 | 4,429 |
| RSROSL-10* | For SRO2, 10-pan capacity, side load | 6 | 4,635 |
| RSROSL-12* | For SRO2, 12-pan capacity, side load | 6 | 4,944 |
| RSROSL-15* | For SRO2, 15-pan capacity, side load | 6 | 5,278 |
| RSROSL-20* | For SRO2, 20-pan capacity, side load | 6 | 5,610 |



*Two Single Side Load Racks are required for use in SRO2E/SRO2G

Doyon Convection Ovens Circle Air Series

Ultimate Uniform Proof and Bake

CA6X Series

CA6X with optional
CA6PX proofer base



| Model | Description | Catalog Page | List Price |
|-------|---|--------------|------------|
| CA6X | Single oven, capacity 12 half-size/6 full size sheet pans, electric | 7 | 43,472 |
| CA6XG | Single oven, capacity 12 half-size/6 full size sheet pans, gas | 7 | 52,879 |

| Options | List Price |
|--|--------------|
| Water filter (PLF240) | 840 |
| Nickel plated pizza decks (GRPIZ3) | 823 |
| Wire shelf for CA6X & CA6XG (GR17T26) | 278 |
| CA6XG Gas quick connection kit (GAH600) | 904 |
| CA6X Stacking kit (CA6XSTACKING) | 1,542 |
| CA6XG Stacking kit (CA6XGSTACKING) | 1,542 |
| Equipment stand (CA6B) | 3,939 |
| Proofer base (CA6PX) | 17,270 |
| Wire shelf for CA6PX proofer base (GR2635) | 439 |
| International Voltage (Must Specify) | Call Factory |

Doyon Convection Ovens Jet Air Series

Superior Air Flow



JA Series

| Model | Description | Catalog Page | List Price |
|--------|--|--------------|------------|
| JA4 | Jet Air Convection Oven, capacity 4 full size sheet pans, electric | 9 | 23,288 |
| JA4SC | Jet Air Convection Oven on casters, capacity 4 full size sheet pans, electric | 9 | 29,121 |
| JA6 | Jet Air Convection Oven, capacity 6 full size sheet pans, electric | 9 | 26,932 |
| JA6SL | Jet Air Convection Oven, capacity 6 full size sheet pans, side-load, electric | 9 | 26,678 |
| JA6G | Jet Air Convection Oven, capacity 6 full size sheet pans, gas | 9 | 60,055 |
| JA8X* | Jet Air Convection Oven, capacity 8 full size sheet pans, electric | 9 | 39,314 |
| JA8XG* | Jet Air Convection Oven, capacity 8 full size sheet pans, gas | 9 | 50,778 |
| JA8XR* | Jet Air Convection Oven, retherm mode, capacity 8 full size sheet pans, electric | 9 | 42,618 |
| JA12SL | Jet Air Convection Oven, dual oven, capacity 12 full sz. pans, side-load, electric | 9 | 47,052 |
| JA14 | Jet Air Convection Oven, dual oven, capacity 14 full size sheet pans, electric | 9 | 50,416 |
| JA14G | Jet Air Convection Oven, dual oven, capacity 14 full size sheet pans, gas | 9 | 63,144 |
| JA28 | Jet Air Convection Oven, quad oven, capacity 28 full size sheet pans, electric | 10 | 95,978 |
| JA28G | Jet Air Convection Oven, quad oven, capacity 28 full size sheet pans, gas | 10 | 117,697 |

*Touchscreen controls

Doyon Convection Ovens Jet Air Series

| Options | List Price |
|---|--------------|
| Water Filter (PLF240) | 840 |
| High temperature door gasket, per section (HTG001): n/a on JA8X, JA8XR & JA8XG | 1,292 |
| Equipment stand: | |
| JA4 (JA4B) | 3984 |
| JA6, JA6G (JA6B) | 3836 |
| JA6SL (JA6SLB) | 3868 |
| JA8X, JA8XG, JA8XR (JA8B) | 3945 |
| Nickel-plated pizza shelf | |
| JA4, JA4SC, JA12SL (GRPIZ3) | 823 |
| JA6, JA6SL, JA6G, JA28, JA28G (GRPIZ6) | 933 |
| JA8X, JA8XG, JA8XR, JA14, JA14G (GRPIZ8) | 881 |
| Gas connection kit | |
| JA6G, JA8XG, JA14G (GAH600) | 904 |
| JA28G (GAH700) | 2,014 |
| International Voltage (Must Specify) | Call Factory |



Doyon Ovens Artisan Stone Deck Series

See next page
for options

Artisan Deck Ovens (chamber heights of 6", 8", 10", 12"; specify when ordering)

| Model | Description | Catalog Page | List Price |
|-------|---|--------------|------------|
| 1T1 | Single deck, single pan capacity | 12 | 26,279 |
| 1T2 | Two deck, single pan capacity (per deck) | 12 | 41,261 |
| 1T3 | Three deck, single pan capacity oven (per deck) | 12 | 57,757 |
| 1T4 | Four deck, single pan capacity (per deck) | 12 | 73,741 |
| 2T1 | Single deck, two pan capacity | 13 | 34,902 |
| 2T2 | Two deck, two pan capacity (per deck) | 13 | 60,553 |
| 2T3 | Three deck, two pan capacity oven (per deck) | 13 | 85,954 |
| 2T4 | Four deck, two pan capacity (per deck) | 13 | 109,457 |
| 3T1 | Single deck, three pan capacity | 14 | 47,650 |
| 3T2 | Two deck, three pan capacity (per deck) | 14 | 80,588 |
| 3T3 | Three deck, three pan capacity (per deck) | 14 | 112,826 |
| 3T4 | Four deck, three pan capacity (per deck) | 14 | 147,442 |
| 4T1 | Single deck, four pan capacity | 15 | 55,230 |
| 4T2 | Two deck, four pan capacity (per deck) | 15 | 96,560 |
| 4T3 | Three deck, four pan capacity (per deck) | 15 | 128,986 |
| 4T4 | Four deck, four pan capacity (per deck) | 15 | 177,285 |

Pan size: 18"x26" full size sheet pans

Doyon Ovens Artisan Stone Deck Ovens

| Options | List Price |
|---|------------------------|
| Loaf Loader | |
| 1T, 2T, 3T (LL) | 906 |
| 4T (LL4T) | 1,169 |
| Standard proofer (1-2 deck ovens only) | |
| 1T (ES1T) | 16,140 |
| 2T (ES2T) | 22,647 |
| 3T (ES3T) | 27,073 |
| 4T (ES4T) | 30,376 |
| Low profile proofer (3 deck ovens only) | |
| 1T3 (ES1TP) | 14,507 |
| 2T3 (ES2TP) | 20,305 |
| 3T3 (ES3TP) | 25,761 |
| 4T3 (ES4TP) | 27,653 |
| Ship Decks Separate (ARTISANSHIP) | contact factory |



Optional Loaf Loader



1T2 with ES1T proofer base

| Options | List Price |
|--|------------|
| Water Filter (50-1530) | 2,540 |
| Replacement water filter cartridge (50-1531) | 805 |
| Cleaning brush (ARTISANBRUSH) | 270 |
| Change voltage from 3Ph to 1Ph (per deck) | 2,220 |
| Change voltage to 380-415V (per deck) | 2,220 |
| Change voltage to 440V (per deck) | 2,220 |
| Change voltage to 480V | 2,220 |

Doyon Pizza Ovens

Fast and Even Heat Delivery

TRIO Ventless Rotating Rack Pizza Oven

| Model | Description | Catalog Page | List Price |
|-------|--|--------------|------------|
| RPO3 | Rotating deck oven, 3 individual pizza decks | 17 | 22,119 |



PIZ Series

| Model | Description | Catalog Page | List Price |
|-------|--|--------------|------------|
| PIZ3 | Multi-purpose deck oven, capacity 3 18" pizzas, electric | 18 | 26,080 |
| PIZ3G | Multi-purpose deck oven, capacity 3 18" pizzas, gas | 18 | 36,282 |
| PIZ6 | Multi-purpose deck oven, capacity 6 18" pizzas, electric | 18 | 32,243 |
| PIZ6G | Multi-purpose deck oven, capacity 6 18" pizzas, gas | 18 | 37,723 |



Doyon Pizza Ovens

| Options | List Price |
|---|--------------|
| Equipment stand | |
| RPO3 (RPOT) | 2,310 |
| PIZ3, PIZ3G (PIZ3B) | 3,297 |
| PIZ6, PIZ6G (PIZ6B) | 3,349 |
| Two deck kit (RPO3) | no charge |
| RPO3 Stacking kit: | |
| Bracket (50087211) | 557 |
| Low profile stand to hold 2 stacked ovens (RPOT2) | 2,310 |
| 3 timers on each side of oven, PIZ models (3PIZTIMERS) | 5,337 |
| 6 timers on one side, right/left, PIZ models (6PIZTIMERS) | 5,392 |
| Internal steam, PIZ3, PIZ6, electric models only (PIZSTEAMER) | 2,228 |
| Water filter (Only if Equipped with Steam) (PLF240) | 840 |
| Solid doors, PIZ models | no charge |
| Gas connection kit, PIZ3G, PIZ6G (GAH600) | 2,052 |
| Conform to EC for gas, PIZ3G, PIZ6G (PIZ3GEU, PIZ6GEU) | 6,869 |
| International Voltage (Must Specify) | Call Factory |
| Cool Air Snorkel (50088060) | 986 |
| PIZ3 Heat Shield | |
| Left (PIZ3-LHS) | 1,891 |
| Right (PIZ3-RHS) | 1,891 |
| PIZ6 Heat Shield | |
| Left (PIZ6-LHS) | 1,891 |
| Right (PIZ6-RHS) | 1,891 |
| PIZ6G Cooling Fan Kit | |
| Left (PIZ6GCKL) | 2,891 |
| Right (PIZ6GCKR) | 2,891 |



PIZ3B Equipment Stand
(shown with PIZ3 oven)



Doyon Convection Oven Proofer Combinations Jet Air Series

Superior Baking Flexibility

JAOP Series

| Model | Description | Catalog Page | List Price |
|----------|--|--------------|------------|
| JAOP3 | Oven Proofer, oven capacity 3 pans/proofer 9 pans, electric | 21 | 34,381 |
| JAOP6 | Oven Proofer, oven capacity 6 pans/proofer 18 pans, electric | 21 | 40,420 |
| JAOP6SL | Oven Proofer, oven capacity 6 pans/proofer 9 pans, side-load, electric | 21 | 40,769 |
| JAOP6G | Oven Proofer, oven capacity 12 pans/proofer 18 pans, gas | 21 | 45,084 |
| JAOP12SL | Oven Proofer, oven capacity 12 pans/proofer 18 pans, side-load, electric | 22 | 66,861 |
| JAOP14 | Oven Proofer, oven capacity 14 pans/proofer 32 pans, electric | 22 | 68,761 |
| JAOP14G | Oven Proofer, oven capacity 14 pans/proofer 32 pans, gas | 22 | 81,458 |

Pan size: 18"x26" full size sheet pans

| Options | List Price | Options | List Price |
|---|------------|---|------------|
| Water Filter (PLF240) | 840 | High temperature gasket, per section (HTG001) | 1,292 |
| Nickel plated pizza decks | | Humidified warmer in proofer (HW001) | 2,063 |
| JAOP3, JAOP6SL, JAOP12SL (GRPIZ3) | 823 | Gas connection kit: | |
| JAOP6, JAOP6G, JAOP14, JAOP14G (GRPIZ6) | 933 | JAOP6G, JAOP14G (GAH700) | 2,014 |

Doyon Perfect Proofers and Retarder Proofers

Customizable and Connected



Ships flat for easy assembly on site!



Retarder Proofers

| Model | Description | Single End Load Rack | Single Side Load Rack | Double Rack | Catalog Page | List Price |
|--------|--------------------------|----------------------|-----------------------|-------------|--------------|------------|
| KDPR11 | Roll-in retarder proofer | 1 | 2 | 1 | 23 | 50,796 |
| KDPR12 | Roll-in retarder proofer | 3 | 4 | 2 | 23 | 70,187 |
| KDPR13 | Roll-in retarder proofer | 5 | 6 | 3 | 23 | 93,269 |
| KDPR21 | Roll-in retarder proofer | 3 | 4 | 2 | 23 | 60,180 |
| KDPR22 | Roll-in retarder proofer | 8 | 8 | 4 | 23 | 116,402 |
| KDPR23 | Roll-in retarder proofer | 12 | 12 | 6 | 23 | 155,047 |
| KDPR31 | Roll-in retarder proofer | 4 | 6 | 3 | 23 | 70,400 |
| KDPR32 | Roll-in retarder proofer | 11 | 12 | 6 | 23 | 154,303 |
| KDPR33 | Roll-in retarder proofer | 16 | 18 | 9 | 23 | 192,500 |

Proofers

| Model | Description | Single End Load Rack | Single Side Load Rack | Double Rack | Catalog Page | List Price |
|-------|-----------------|----------------------|-----------------------|-------------|--------------|------------|
| KDP11 | Roll-in proofer | 1 | 2 | 1 | 24 | 39,655 |
| KDP12 | Roll-in proofer | 3 | 4 | 2 | 24 | 54,208 |
| KDP13 | Roll-in proofer | 5 | 6 | 3 | 24 | 64,152 |
| KDP21 | Roll-in proofer | 3 | 4 | 2 | 24 | 45,310 |
| KDP22 | Roll-in proofer | 8 | 8 | 4 | 24 | 60,690 |
| KDP23 | Roll-in proofer | 12 | 12 | 6 | 24 | 102,784 |
| KDP31 | Roll-in proofer | 4 | 6 | 3 | 24 | 66,413 |
| KDP32 | Roll-in proofer | 11 | 12 | 6 | 24 | 101,376 |
| KDP33 | Roll-in proofer | 16 | 18 | 9 | 24 | 115,044 |

| Options | List Price |
|--|-------------|
| Water filter (50-1530) | 2,450 |
| Replacement Filter Cartridge (50-1531) | 805 |
| Door bumpers, per door (DB) | 203 |
| Factory installation and startup | 4,200 |
| Factory startup (install not included) | See page 17 |
| Viewing window in Door (Per Door) | 2,400 |

| Options | List Price |
|--|------------|
| Pass-through | |
| KDP11, KDP12, KDP13 | 2,645 |
| KDPR11, KDPR12, KDPR13 | 2,645 |
| KDP21, KDP22, KDP23, KDP31, KDP32, KDP33 | 4,896 |
| KDPR21, KDPR22, KDPR23, KDPR31, KDPR32, KDPR33 | 4,896 |



Doyon Proofers

Precise Mix of Heat and Humidity

Proofers

| Model | Description | Catalog Page | List Price |
|----------|---|--------------|------------|
| DRIP1 | Roll-in rack proofer, single rack for 36 18"x26" sheet pans | 25 | 21,900 |
| DRIP1TLO | Roll-in rack proofer, two single racks or one double (TLO) rack | 25 | 22,346 |
| E236R | Roll-in rack proofer, two single racks | 26 | 23,934 |
| E236 | Roll-in rack proofer, 1 + 10 shelves or two single racks | 26 | 30,340 |
| E236TLO | Roll-in rack proofer, 4 single racks or two double (TLO) racks | 26 | 30,042 |
| E336R | Roll-in rack proofer, 3 single racks | 26 | 37,300 |
| E336 | Roll-in rack proofer, 2 + 10 shelves or 3 single racks | 26 | 39,827 |
| E336TLO | Roll-in rack proofer, 6 single racks | 26 | 39,370 |

Racks not included

| Options | List Price |
|---|------------|
| Water filter, DRIP1, DRIP1TLO (PLF240) | 799 |
| Prison Package (PROOFPP) | 1,275 |
| Solid door, per door (SD) | 1,426 |
| Door bumpers, per door (DB) | 213 |
| Additional side shelving, E236R only (SR26) | 1,452 |
| Additional side shelving, E336R only (SR36) | 4,464 |



Doyon Display Warmers

"Fresh from the Oven" Quality

Display Warmers

| Model | Description | Catalog Page | List Price |
|--------|--|--------------|------------|
| DRP3 | Display warmer, 3 wire shelves | 27 | 4,746 |
| DRPR3 | Display warmer, rotating rack, 3 pizza capacity | 27 | 5,695 |
| DRP4S | Display warmer, 4 wire shelves | 27 | 5,485 |
| DRPR4S | Display warmer, rotating rack, 4 pizza capacity | 27 | 6,101 |
| DRP4 | Display warmer, 4 wire shelves, pizza graphic | 27 | 5,695 |
| DRPR4 | Display warmer, rotating rack, 4 pizza capacity, pizza graphic | 27 | 6,089 |

| Options | List Price |
|-------------------|------------|
| Pass-thru (DRPPT) | 1,170 |

Doyon Planetary Mixers

Heavy-Duty Mixing



SM Series General Purpose Planetary Mixers

| Model | Description | Catalog Page | List Price |
|---------|---|--------------|------------|
| SM200 | 20 Qt. Mixer, 1/2 HP; includes bowl, flat beater, whip and dough hook | 29 | 7,771 |
| SM300 | 30 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook | 29 | 12,428 |
| SM402NA | 40 Qt. Mixer, 1.5 HP; includes bowl, flat beater, whip and dough hook | 29 | 16,826 |

| Options: SM Mixers | | List Price |
|-----------------------------------|--|------------|
| Slicer attachment (SM100CL) | | 5,086 |
| Meat grinder attachment (SM100HV) | | 1,121 |
| Stand for SM200 (SM200T) | | 2,513 |

| Extras | SM200 | SM300 | SM402NA |
|----------------|-------|-------|---------|
| Dough hook (C) | 495 | 906 | 1,825 |
| Beater (P) | 581 | 760 | 630 |
| Whip (F) | 893 | 1,162 | 741 |
| Bowl (B) | 1,320 | 1,554 | 1,545 |



BTF & BTL Heavy-Duty Planetary Mixers

| Model | Description | Catalog Page | List Price |
|---------|---|--------------|------------|
| BTF010 | 10 Qt. Mixer, 1/2 HP; includes bowl, flat beater, whip and dough hook | 30 | 15,435 |
| BTF020 | 20 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook | 30 | 18,375 |
| BTF040 | 40 Qt. Mixer, 3 HP; includes bowl, flat beater, whip and dough hook | 30 | 27,076 |
| BTF060 | 60 Qt. Mixer, 4 HP; includes bowl, flat beater, whip and dough hook | 30 | 31,501 |
| BTF040H | 40 Qt. Mixer, 3 HP with hub; includes bowl, flat beater, whip and dough hook | 30 | 34,611 |
| BTF060H | 60 Qt. Mixer, 4 HP with hub; includes bowl, flat beater, whip and dough hook | 30 | 40,590 |
| BTL020 | 21 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook | 30 | 19,984 |
| BTL100 | 100 Qt. Mixer, 4 HP; includes bowl, flat beater, whip and dough hook | 31 | 101,883 |
| BTL140 | 140 Qt. Mixer, 5-1/3 HP; includes bowl, flat beater, whip and dough hook | 31 | 92,664 |
| BTL100H | 100 Qt., Mixer, 4 HP with hub; includes bowl, flat beater, whip and dough hook | 31 | 116,708 |
| BTL140H | 140 Qt. mixer, 5-1/3 HP with hub; includes bowl, flat beater, whip and dough hook | 31 | 112,845 |

Doyon Planetary Mixers Accessories



SM100CL slicer
attachment



SM100HV meat
grinder attachment

| Options: BTF & BTL | List Price |
|--|------------|
| Slicer attachment (SM100CL) | 5,086 |
| Meat grinder attachment (SM100HV) | 1,121 |
| Stainless steel finish (suffix I) | add 35% |
| Touchscreen controls | 9,030 |
| Feet for floor anchorage | 1,838 |
| Electric bowl lift (except BTF010 & BTF020) | 7,245 |
| International Voltage | No Charge |
| BTF010 only: | |
| Equipment stand (BTF020T) | 2,793 |
| 10 qt dough hook (BTF010C) | 830 |
| 10 qt flat beater (BTF010P) | 893 |
| 10 qt whip (BTF010F) | 980 |
| 10 qt bowl (BTF010B) | 1,618 |
| BTF020 only: | |
| Equipment stand (BTF020T) | 2,793 |
| 20 qt dough hook (BTF020C) | 987 |
| 20 qt flat beater (BTF020P) | 1,075 |
| 20 qt whip (BTF020F) | 1,181 |
| 20 qt bowl (BTF020B) | 1,906 |
| 10 qt reduction kit (BTF020A) | 3,728 |
| BTF040 only: | |
| 20 qt reduction kit (BTF040A); includes 20 qt bowl, dough hook, flat beater and whip | 4,835 |
| 20 qt dough hook (BTF040AC) | 1,308 |
| 20 qt whip (BTF040AF) | 1,466 |
| 20 qt flat beater (BTF040AP) | 1,308 |
| 20 qt bowl (BTF040AB) | 1,906 |
| 40 qt dough hook (BTF040C) | 1,239 |
| 40 qt whip (BTF040F) | 1,901 |
| 40 qt flat beater (BTF040P) | 1,323 |
| 40 qt bowl (BTF040B) | 2,573 |
| 40 qt bowl dolly (BTF040D) | 2,016 |

| Options: BTF & BTL | List Price |
|--|------------|
| BTF060 only: | |
| 40 qt reduction kit (BTF060A); includes 40 qt bowl, dough hook, flat beater and whip | 5,985 |
| 40 qt dough hook (BTF060AC) | 1,529 |
| 40 qt whip (BTF060AF) | 1,697 |
| 40 qt flat beater (BTF060AP) | 1,647 |
| 40qt bowl (BTF060AB) | 5,035 |
| 60 qt dough hook (BTF060C) | 1,449 |
| 60 qt whip (BTF060F) | 1,901 |
| 60qt flat beater (BTF060P) | 1,492 |
| 60 qt bowl (BTF060B) | 3,380 |
| 60 qt bowl dolly (BTF060D) | 2,184 |
| 60 qt bowl scraper (BTF060S) | 2,760 |
| BTL100 only: | |
| 100 qt bowl (BTL100B) | 8,538 |
| 100 qt dough hook (BTF100C) | 3,877 |
| 100 qt whip (BTF100F) | 3,735 |
| 100 qt paddle (BTF100P) | 4,444 |
| 100 qt scraper (BTF100S) | 3,309 |
| 100 qt bowl dolly (BTL100D) | 4,977 |
| BTL140 only: | |
| 140 qt bowl (BTL140B) | 9,988 |
| 140 qt dough hook (BTF140C) | 4,573 |
| 140 qt whip (BTF140F) | 4,912 |
| 140 qt paddle (BTF140P) | 4,573 |
| 140 qt scraper (BTF140S) | 3,213 |
| 140 qt bowl dolly (BTL140D) | 4,977 |
| 80 qt bowl for BTL140 (BTL140AB) | 7,247 |



Doyon Spiral Mixers

Bowl Drain for Easy Cleaning



Shown in Stainless
Steel Construction

AEF Series Stationary Bowl Mixers

| Model | Description | Catalog Page | List Price |
|----------|---|--------------|------------|
| AEF015SP | Stationary bowl mixer, 48 lb dough capacity; includes bowl and mixing tools* | 34 | 23,652 |
| AEF025SP | Stationary bowl mixer, 55 lb dough capacity; includes bowl and mixing tools* | 34 | 31,135 |
| AEF035SP | Stationary bowl mixer, 110 lb dough capacity; includes bowl and mixing tools* | 34 | 38,915 |
| AEF035 | Stationary bowl mixer, 110 lb dough capacity; includes bowl and mixing tools** | 34 | 43,070 |
| AEF050 | Stationary bowl mixer, 159 lb dough capacity; includes bowl and mixing tools** | 34 | 50,706 |
| AEF080 | Stationary bowl mixer, 254 lb dough capacity; includes bowl and mixing tools** | 34 | 63,612 |
| AFR100 | Stationary bowl mixer, 352 lb. dough capacity; includes bowl and mixing tools** | 34 | 76,238 |
| AFR150 | Stationary bowl mixer, 529 lb. dough capacity; includes bowl and mixing tools** | 34 | 85,009 |

*single phase; **3 phase

| Options: AEF/AFR Mixers | List Price |
|--|------------|
| Stainless steel construction | add 35% |
| Scraper & Paddle Attachment (See Note Below) | |
| AEF015SP Paddle | 2,500 |
| AEF025SP Paddle | 2,500 |
| AEF035SP/AEF035 Paddle | 2,500 |
| AEF050 Paddle | 3,750 |
| AEF080 Paddle | 3,750 |
| AFR100 Paddle | 3,750 |
| AFR150 Paddle | 3,750 |
| AEF015SP Scraper | 3,850 |
| AEF025SP Scraper | 3,850 |
| AEF035SP/AEF035 Scraper | 3,850 |
| AEF050 Scraper | 4,475 |
| AEF080 Scraper | 4,475 |
| AFR100 Scraper | 4,475 |
| AFR150 Scraper | 4,475 |
| International Voltage (Must Specify) | No Charge |

AEF/AFR PADDLE & SCRAPER OPTION are only to be purchased at the same time of ordering equipment. These are to be installed by the factory prior and cannot be installed in the field. The SCRAPER can only be used with the PADDLE. These are installed in lieu of the dough hook and once installed cannot be changed back out. Designed specifically for yeast style cakes and extremely dense spreads.

Doyon Divider Rounders

Removable Dough Press Head

Semi-Automatic Divider/Rounders

| Model | Description | Catalog Page | List Price |
|---------|--|--------------|------------|
| DSA4415 | 15 portion divider rounder; 4kg dough capacity | 36 | 35,966 |
| DSA4422 | 22 portion divider rounder; 4kg dough capacity | 36 | 31,013 |
| DSA4330 | 30 portion divider rounder; 3kg dough capacity | 36 | 30,272 |
| DSA4336 | 36 portion divider rounder; 3kg dough capacity | 36 | 31,013 |
| DSA4354 | 54 portion divider rounder; 3kg dough capacity | 36 | 35,966 |
| DSA4430 | 30 portion divider rounder, 4kg dough capacity | 36 | 31,013 |
| DSA4436 | 36 portion divider rounder, 4kg dough capacity | 36 | 31,013 |

Portion weight based on hydration ratio of 55-65%

| Options: DSA Divider Rounders | List Price |
|---|------------|
| Stainless steel construction (Suffix I) | add 3,990 |
| International Voltage (Must Specify) | No Charge |
| Additional press heads, includes plates* (DSAHXXXX; XXXX= Model's suffix) | 9,345 |
| <i>*Requires Head Set Ring If Moving Between DSA43XX & DSA44XX</i> | |
| Head Set Ring: | |
| 30226300000011 for DSAH4330, DSAH4336, DSAH4354 | 1,203 |
| 30226000300231 for DSAH4415, DSAH4422, DSAH4430, DSAH4436 | 1,204 |
| Dough Plate: | |
| FMF753 for DSA4415 | 903 |
| FMF754 for DSA4422 | 903 |
| FMF750 for DSA4330 | 903 |
| FMF751 for DSA4336 | 903 |
| FMF752 for DSA4354 | 903 |
| FMF755 for DSA4430 | 903 |
| FMF753 for DSA4436 | 903 |



Automatic Dough Divider and Rounder

| Model | Description | Catalog Page | List Price |
|-------|---|--------------|------------|
| D20 | 20 portion hydraulic divider | 38 | 38,066 |
| DR45 | Automatic rounder; rounds portions from 7 to 36 oz. | 38 | 23,049 |

Portion weight dependent on hydration ratio



D20
Hydraulic Divider



DR45
Rounder

Reversible Sheeters

More Standard Features

LMA630
shown with
optional croissant
cutter



LSA/LMA Series Reversible Sheeters

| Model | Description | Catalog Page | List Price |
|----------|-------------------------------------|--------------|------------|
| LSA516 | Countertop sheeter; 71-1/2" wide | 39 | 28,000 |
| LSA520 | Countertop sheeter; 91.1/4" wide | 39 | 28,721 |
| LMA620 | Free-standing sheeter; 91-1/4" wide | 39 | 36,659 |
| LMA624** | Free-standing sheeter; 107" wide | 39 | 37,000 |
| LMA630** | Free-standing sheeter; 130-3/4 wide | 39 | 37,510 |

**CUTTER HOUSING & CUTTER ONLY AVAILABLE FOR THESE MODELS



LSA516

| Options: LSA/LMA Reversible Sheeters | List Price |
|---|------------|
| Stainless steel construction, LMA Sheeters (LMAS) | 8,453 |
| Stainless steel construction, LSA Sheeters (LSAS) | 8,517 |
| Croissant cutter housing; Requires Cutter (RCM001) | 8,765 |
| Custom Croissant Cutter; Required with Housing (CC) | 7,937 |
| Equipment stand for LSA series sheeters (LSB516T) | 2,589 |
| International Voltage (Single Phase Only, Must Specify) | No Charge |

Countertop Sheeters

Consistent Portions



DL Series Dough Sheeters

| Model | Description | Catalog Page | List Price |
|--------|--|--------------|------------|
| DL12SP | Single roll sheeter; 12" dough width | 40 | 5,211 |
| DL12DP | Double roll sheeter; angled rollers for round product; 12" dough width | 40 | 8,030 |
| DL18SP | Single roll sheeter; 18" dough width | 40 | 6,264 |
| DL18P | Double roll sheeter; parallel rollers; 18" dough width | 40 | 9,191 |
| DL18DP | Double roll sheeter; angled rollers for round product; 18" dough width | 40 | 9,040 |

| Options: DL Series Sheeters | List Price |
|---|------------|
| Foot pedal; for DL12DP, DL18P, DL18DP only (PC100091) | 939 |
| CSST Conformity kit for Quebec (DLCSSST) | 1,116 |
| International Voltage (Must Specify) | 901 |

Bread Slicers

Slice 250 Loaves Per Hour



SM/CPF Bread Slicers

| Model | Description | Catalog Page | List Price |
|----------|--|--------------|------------|
| SM302* | Bread slicer for loaves up to 5" high; 5/8" slices | 41 | 7,182 |
| SM302A* | Bread slicer for loaves up to 5" high; 3/4" slices | 41 | 6,300 |
| SM302B* | Bread slicer for loaves up to 5" high; 1/2" slices | 41 | 6,300 |
| SM302C* | Bread slicer for loaves up to 5" high; 1" slices | 41 | 6,300 |
| CPF412** | Bread slicer for loaves up to 17-5/6"; slicing thickness: 1/2" | 41 | 23,433 |
| CPF416** | Bread slicer for loaves up to 17-5/6"; slicing thickness: 5/8" | 41 | 23,652 |
| CPF418** | Bread slicer for loaves up to 17-5/6"; slicing thickness: 3/4" | 41 | 23,433 |
| CPF422** | Bread Slicer for loaves up to 17-5/6"; slicing thickness: 7/8" | 41 | 23,652 |

*For soft, sandwich style bread only

**For artisan and soft breads

| Options: SM302 Series Only | List Price |
|---|------------|
| Stainless steel equipment stand (SM302T) | 2,513 |
| SM Series International Voltage (Must Specify) | 316 |
| CPF Series International Voltage (Must Specify) | No Charge |

Water Meter & Chiller

Assure Product Quality



Water Meter

| Model | Description | Catalog Page | List Price |
|--------|--|--------------|------------|
| DAF001 | Water meter; digital control; 3.6 to 72.6 psi; min/max temperature | 42 | 6,240 |
| RAF100 | Water chiller; single tank, 100 liter (26 gallon) capacity | 42 | 15,658 |

| Options | List Price |
|--------------------------------------|------------|
| International Voltage (Must Specify) | No Charge |

Freight Policy, Handling and Installation Fees

US Equipment Freight Policy

All freight will be quoted by the factory. To receive a freight quote, call 800.338.9886 or email sales@NU-VU.com. Please supply the following information:

- Ship to Zip Code
- Product Model Number(s)
- Quantity

A quote number will be provided and must be placed on any purchase order to get the special quoted rate. All freight quotes are valid for (30) thirty days. Extra Charges for Special Services are additional:

Call Before Delivery: \$55 Inside Delivery: \$80 per oven
Liftgate Delivery: \$150 Construction Site Delivery: \$115

Doyon reserves the right to bill any and all additional accessorial services not sent in writing or listed on the PO before shipping from our factory, and added on after the fact at the time of delivery without our notification or approval.

Accessory Handling Fee

Doyon reserves the right to charge a handling fee on all sales of products deemed as accessories. These are classified as:

- Mixer attachments
- Water filters
- Wire racks/shelves
- Gas connection kit
- Interchangeable divider head and/or dough plates
- Drip trough
- Nickel plated pizza deck
- Loaf loader
- Artisan deck brush
- Foot pedal for DL series dough sheeter
- Croissant cutter/housing for LMA630

Handling fee based on service level (Ground, Next Day Air, etc.) and number of packages.

Startup and Installation

Installation: Installation and startup are not included in the pricing for any item. Startup and installation are the responsibility of the buyer, its agent, contractor, as the case may be. Prices are net, no discounts.

Startup Fees:

| | |
|--|----------|
| Electric oven/proofer, DRIP Series, PIZ electric | \$965.00 |
| Artisan Ovens | \$965.00 |
| Gas oven/proofer, JA/CA Series, PIZ gas | \$965.00 |
| E236 Series, E336 Series | \$965.00 |
| Retarder proofer | \$965.00 |

Perfect Proofer Startup and Installation

Installation: Installation and startup are not included in the pricing for any item. Startup and installation are the responsibility of the buyer, its agent, contractor, as the case may be. Prices are net—no discounts.

| Model | Installation with Startup | Startup Only |
|-------|---------------------------|--------------|
| KDP11 | 4,200 | 704 |
| KDP12 | 4,200 | 761 |
| KDP13 | 4,200 | 932 |
| KDP21 | 4,200 | 704 |
| KDP22 | 4,200 | 761 |
| KDP23 | 4,200 | 932 |
| KDP31 | 4,200 | 704 |
| KDP32 | 4,200 | 761 |
| KDP33 | 4,200 | 932 |

| Model | Installation with Startup | Startup Only |
|--------|---------------------------|--------------|
| KDPR11 | 4,200 | 704 |
| KDPR12 | 4,200 | 761 |
| KDPR13 | 4,200 | 932 |
| KDPR21 | 4,200 | 704 |
| KDPR22 | 4,200 | 761 |
| KDPR23 | 4,200 | 932 |
| KDPR31 | 4,200 | 704 |
| KDPR32 | 4,200 | 761 |
| KDPR33 | 4,200 | 932 |

Terms of Sale

Doyon is committed to continuous improvement of the Customer experience. With that in mind, the following Terms & Conditions are for clarification to ensure smooth business transactions. If you need to return items, refer to the below for specific guidelines.

Terms and Method of Payment

All orders are subject to approval and acceptance by SELLER. No order accepted by SELLER shall be subject to cancellation, termination, suspension, change, reduction, cutback or other modification except with SELLER'S prior written consent based upon the Returns and Cancellations Policy.

SELLER'S standard terms of payment are for net 30 days from invoice date, with approved credit. The terms of credit, if extended, may be changed or credit may be withdrawn by SELLER at any time. Cash in advance (CIA) may be required on payments that are late more than twice during the calendar year or for new unestablished customers. No orders will be shipped on a Cash on Demand (COD) basis.

Late payments are subject to penalty based on the invoice subtotal in the following manner:

| |
|----------------------------------|
| 15 days past due – 1.0% |
| 30 days past due – 1.5% |
| 45 days past due – 2.0% |
| 60 or more days past due – 10.0% |

Prices do not include federal, state or local taxes, duties or other levies, now or hereafter enacted, applicable to the items deliverable under the sales order or invoice (hereinafter called ITEMS), which taxes, duties or other levies will be added by SELLER to the sales price and will be paid by BUYER unless BUYER provides SELLER with a proper Exemption certificate.

Packing for commercial shipment is included in contract price. Any special packaging, crating, or shipping instructions must be noted on BUYER'S original order and acknowledged by SELLER.

Title and Delivery

ITEMS shall be delivered FOB SELLER'S facility, and title thereto Shall pass to BUYER, upon SELLER'S delivery of the ITEMS to a Common carrier for shipment to BUYER.

Any pre-paid freight must be acknowledged by SELLER.

Orders qualifying for pre-paid freight, SELLER has the right to select the means of transportation.

Any accessorial charges incurred because of Customer request will be the responsibility of the requester.

Ordering Information

How to Place an Order:

- Federal ID Numbers: required for U.S. Customs purposes from all dealers (n/a in Canada)
- All orders are subject to acceptance by the local representative and our office
- All orders must have the dealer's name, address, phone number, purchase order number, purchase order dollar amount, and method of communication for all electronic invoices and order acknowledgements.
- All orders must include a requested ship date, ship to address, job name and location
- If you have requested a freight quote and wish to use the freight rate issued by the factory, you are required to place the issued freight quote number on the purchase order when sending it to the factory.

International Orders: All international orders must specify either CE or Non-CE specific products. All purchase orders submitted to the factory must include a complete electrical questionnaire. Any orders outside the US and Canada will be subject to a 5% Warranty Administration Fee, added to the invoice. These orders may be subject to other charges, including but not limited to, utility configuration and/or CE approval fees, international documentation fees, etc. Please contact the factory for specific details. Notes: Doyon reserves the right, without prior notice, to make changes and revisions in product specifications, design and materials which, in the opinion of the company will provide greater efficiency, performance and durability.

Inspection and Acceptance

Thoroughly inspect all shipments. Do not accept a damaged or short shipment until exception is noted on the freight bill and pictures have been taken. BUYER will be held responsible for all shipments with freight bills signed free and clear.

If concealed damage is discovered, contact the freight company immediately for inspection and file a claim. Concealed damage must Be reported to the carrier within 7 days of receipt. All damaged goods and shortages that are not properly documented and reported upon receipt become the sole responsibility of the BUYER.

Returns and Cancellations Policy

No returns will be accepted without an authorization number from Doyon Customer Service, utilizing the following criteria:

Order Changes & Cancellations 14 days prior to shipping may incur a 15% fee. Return requests must be submitted within 30 days of Shipment Date and will incur a 50% Restocking Fee, Customer pays freight and is responsible for any damage enroute. Subject to approval for new, unused equipment only.

No returns for SRO Series and KDP/KDPR Series products at any time.

No returns for Custom/Special Order products at any time.

Warranty Issue

Please contact service@nu-vu.com for all Doyon related warranty issues.

General

All prices are subject to change without notice. Orders from Authorized accounts will be accepted with the understanding that prices are those in effect at time of shipment. These prices are exclusive of all sales taxes with may be levied by State, Federal, or City governments

SELLER'S "Terms and Conditions" as set forth above shall govern all transactions.

SELLER reserves the right to change or discontinue the color, design, component content or price of any ITEMS in SELLER'S catalog or published price lists without prior notice at any time.

Pricing by Model Number

| Model | List Price |
|----------|------------|
| 1T1 | 26,279 |
| 1T2 | 41,261 |
| 1T3 | 57,757 |
| 1T4 | 73,741 |
| 2T1 | 34,902 |
| 2T2 | 60,553 |
| 2T3 | 85,954 |
| 2T4 | 109,457 |
| 3T1 | 47,650 |
| 3T2 | 80,588 |
| 3T3 | 112,826 |
| 3T4 | 147,442 |
| 4T1 | 55,230 |
| 4T2 | 96,560 |
| 4T3 | 128,986 |
| 4T4 | 177,285 |
| AEF015SP | 23,652 |
| AEF025SP | 31,135 |
| AEF035 | 43,070 |
| AEF035SP | 38,915 |
| AEF050 | 50,706 |
| AEF080 | 63,612 |
| AFR100 | 76,238 |
| AFR150 | 85,009 |
| BTF010 | 15,435 |
| BTF020 | 18,375 |
| BTF040 | 27,076 |
| BTF040H | 34,611 |
| BTF060 | 31,501 |
| BTF060H | 40,590 |
| BTL020 | 19,984 |
| BTL100 | 101,883 |
| BTL100H | 116,708 |
| BTL140 | 92,664 |
| BTL140H | 112,845 |
| CA6X | 43,472 |
| CA6XG | 52,879 |
| CA6PX | 52,879 |
| CPF412 | 23,433 |

| Model | List Price |
|----------|------------|
| CPF416 | 23,652 |
| CPF418 | 23,433 |
| CPF422 | 23,652 |
| D20 | 38,066 |
| DAF001 | 6,240 |
| DL12DP | 8,030 |
| DL12SP | 5,211 |
| DL18DP | 9,040 |
| DL18P | 9,191 |
| DL18SP | 6,264 |
| DR45 | 23,049 |
| DRIP1 | 21,900 |
| DRIP1TLO | 22,346 |
| DRP3 | 4,746 |
| DRP4 | 5,695 |
| DRP4S | 5,485 |
| DRPR3 | 5,695 |
| DRPR4 | 6,089 |
| DRPR4S | 6,101 |
| DSA4415 | 35,966 |
| DSA4422 | 31,013 |
| DSA4330 | 30,272 |
| DSA4336 | 31,013 |
| DSA4354 | 35,966 |
| DSA4430 | 31,013 |
| DSA4436 | 31,013 |
| DSAH4415 | 9,345 |
| DSAH4422 | 9,345 |
| DSAH4330 | 9,345 |
| DSAH4336 | 9,345 |
| DSAH4354 | 9,345 |
| DSAH4430 | 9,345 |
| DSAH4436 | 9,345 |
| E236 | 30,340 |
| E236R | 23,934 |
| E236TLO | 30,042 |
| E336 | 39,827 |
| E336R | 37,300 |
| E336TLO | 39,370 |

| Model | List Price |
|----------|------------|
| JA12SL | 47,052 |
| JA14 | 50,416 |
| JA14G | 63,144 |
| JA28 | 95,978 |
| JA28G | 117,697 |
| JA4 | 23,288 |
| JA4SC | 29,121 |
| JA6 | 26,932 |
| JA6G | 60,055 |
| JA6SL | 26,678 |
| JA8X | 39,314 |
| JA8XG | 50,778 |
| JA8XR | 42,618 |
| JAOP12SL | 66,861 |
| JAOP14 | 68,761 |
| JAOP14G | 81,458 |
| JAOP3 | 34,381 |
| JAOP6 | 40,420 |
| JAOP6G | 45,084 |
| JAOP6SL | 40,769 |
| KDP11 | 39,655 |
| KDP12 | 54,208 |
| KDP13 | 64,152 |
| KDP21 | 45,310 |
| KDP22 | 60,690 |
| KDP23 | 102,784 |
| KDP31 | 66,413 |
| KDP32 | 101,376 |
| KDP33 | 115,044 |
| KDPR11 | 50,796 |
| KDPR12 | 70,187 |
| KDPR13 | 93,269 |
| KDPR21 | 60,180 |
| KDPR22 | 116,402 |
| KDPR23 | 155,047 |
| KDPR31 | 70,400 |
| KDPR32 | 154,303 |
| KDPR33 | 192,500 |
| LMA620 | 36,659 |

| Model | List Price |
|-----------|------------|
| LMA624 | 37,000 |
| LMA630 | 37,510 |
| LSA516 | 28,000 |
| LSA520 | 28,721 |
| PIZ3 | 26,080 |
| PIZ3G | 36,282 |
| PIZ6 | 32,243 |
| PIZ6G | 37,723 |
| PLF240 | 840 |
| RAF100 | 15,658 |
| RPO3 | 22,119 |
| RSRO1-10 | 4,635 |
| RSRO1-12 | 4,944 |
| RSRO1-15 | 5,252 |
| RSRO1-20 | 5,665 |
| RSRO1-8 | 4,429 |
| RSRO2-10 | 5,665 |
| RSRO2-12 | 6,283 |
| RSRO2-15 | 6,592 |
| RSRO2-20 | 7,107 |
| RSRO2-8 | 5,511 |
| RSROSL-10 | 4,635 |
| RSROSL-12 | 4,944 |
| RSROSL-15 | 5,278 |
| RSROSL-20 | 5,610 |
| RSROSL-8 | 4,429 |
| SM100CL | 5,086 |
| SM100HV | 1,121 |
| SM200 | 7,771 |
| SM300 | 12,428 |
| SM302 | 7,182 |
| SM302A | 6,300 |
| SM302B | 6,300 |
| SM302C | 6,300 |
| SM402NA | 16,826 |
| SRO1E | 129,903 |
| SRO1G | 137,014 |
| SRO2E | 141,561 |
| SRO2G | 148,457 |

See product pages for pricing on parts & accessories.

Limited Commercial Warranty

Two year parts and one year labor Doyon® limited warranty

(United States of America and Canada only)

This Doyon® warranty applies to all equipment that has been unaltered, properly installed and maintained in accordance with the Doyon® installation manuals.

Doyon® products are warranted to the original purchaser to be free from defects in material and workmanship for a period of two years from the date of original installation, not to exceed 30 months from the product manufactured date. This warranty does not apply to equipment damaged, abused or altered accidentally or intentionally or modified by unqualified service personnel or with missing or altered serial nameplates. In order to be warranted, the equipment from the original buyer must have been purchased through a reseller from the same country.

Doyon® agrees to repair or replace defective parts due to flaws in material or workmanship during the warranty period. Labor to repair or replace defective parts shall be warranted when performed by an authorized Doyon® service agency. Travel over 50 miles, holiday or overtime labor charges are not covered.

Proper installation, initial inspection, or normal maintenance such as lubrication, adjustment or calibration is the responsibility of the dealer, owner-user or installing contractor and is not covered by this warranty.

This warranty does not cover wear & tear items (lights bulbs, gaskets), temperature calibration or defects resulting from handling, abuse, misuse, nor shall it extend to any unit from which the serial number has been removed or altered or the unit is modified in any way, shape, or form by an unauthorized service personnel. As well our warranty does not covered damaged by flood, fire, or other acts of god. Nor will this warranty apply as regards to the immersion element damage by hard water.

Doyon® does hereby exclude and shall not be liable to purchaser for any consequential or incidental damages including but not limited to: damages of property, damages for loss of use, loss of time, loss of profits or income that are in direct result of a breach or warranty.

NOTE: Warranty excludes racks and bread cabinets. These items carry a (1) year limited parts warranty.

In no case, shall this warranty apply outside Canada and the Continental United States, unless the purchaser has a written agreement from Doyon.



5600 13th Street
Menominee, MI 49858
800.338.9886



800.338.9886 | sales@doyonbaking.com | www.doyonbaking.com