



The Baking
Equipment
Experts

USA PRICE LIST

Effective August 1st, 2026

Supersedes all previous pricing
Companion Catalog for this price list is
January 1st, 2026 / No. 116 DCAT
Pricing in USD



800.338.9886 | sales@nu-vu.com | www.doyonbaking.com

Table of Contents

	Ovens.....	3-5
	Artisan Stone Deck Ovens.....	5-6
	Pizza Ovens.....	6
	Oven/Proofer Combinations.....	7
	Proofers & Retarder/Proofers.....	8-9
	Display Warmers.....	9
	Planetary Mixers.....	10-11
	Spiral Mixers.....	12
	Dough Dividers & Rounders.....	13
	Dough Sheeters.....	14
	Bread Slicers.....	15
	Water Meters and Chillers.....	15
	Freight Policy, Handling & Installation Fees.....	16
	Terms of Sale.....	17
	Index.....	18
	Warranty.....	19

CALL Doyon: To speak with a Customer Service Representative, call us at 800.338.9886. All orders must be received in writing via fax at 906.863.5889.

Doyon contracts with a large service network. Please call us for all parts and service related issues and we will set up a service call with a provider in your area.
FOR PARTS AND SERVICE or TOLL FREE 800.338.9886, ext. 6677 or email service@NU-VU.com



Doyon Roll-in Rack Convection Ovens SRO Series

High Volume Production Capability

Signature Rack Ovens

Model	Description	Catalog Page	List Price
SRO1E	Oven for single rack, electric	5	129,903
SRO1G	Oven for single rack, gas	5	137,014
SRO2E	Oven for one double rack or two side load racks, electric	5	141,561
SRO2G	Oven for one double rack or two side load racks, gas	5	148,457

Options	List Price
Assembly charge, required (SRO)	4,753 (net price)
Special site assembly charge (restricted access locations: prisons, hospitals, government, marine)	8,173 (net price)
Prison package (SROPRISON)	7,973
Water filter (50-1530)	2,667
Replacement water filter cartridge (50-1531)	846

Signature Rack Oven Racks

Model	Description	Catalog Page	List Price
RSRO1-8	For SRO1, 8-pan capacity	6	4,518
RSRO1-10	For SRO1, 10-pan capacity	6	4,728
RSRO1-12	For SRO1, 12-pan capacity	6	5,043
RSRO1-15	For SRO1, 15-pan capacity	6	5,357
RSRO1-20	For SRO1, 20-pan capacity	6	5,778
RSRO2-8	For SRO2, 16-pan capacity, side-load	6	5,621
RSRO2-10	For SRO2, 20-pan capacity, side-load	6	5,778
RSRO2-12	For SRO2, 24-pan capacity, side-load	6	6,409
RSRO2-15	For SRO2, 30-pan capacity, side-load	6	6,724
RSRO2-20	For SRO2, 40-pan capacity, side-load	6	7,249
RSROSL-8*	For SRO2, 8-pan capacity, side load	6	4,518
RSROSL-10*	For SRO2, 10-pan capacity, side load	6	4,725
RSROSL-12*	For SRO2, 12-pan capacity, side load	6	5,043
RSROSL-15*	For SRO2, 15-pan capacity, side load	6	5,384
RSROSL-20*	For SRO2, 20-pan capacity, side load	6	5,722



*Two Single Side Load Racks are required for use in SRO2E/SRO2G

Doyon Convection Ovens Circle Air Series

Ultimate Uniform Proof and Bake

CA6X Series

CA6X with optional
CA6PX proofer base



Model	Description	Catalog Page	List Price
CA6X	Single oven, capacity 12 half-size/6 full size sheet pans, electric	7	43,472
CA6XG	Single oven, capacity 12 half-size/6 full size sheet pans, gas	7	52,879

Options	List Price
Water filter (PLF240)	882
Nickel plated pizza decks (GRPIZ3)	864
Wire shelf for CA6X & CA6XG (GR17T26)	292
CA6XG Gas quick connection kit (GAH600)	949
CA6X Stacking kit (CA6XSTACKING)	1,619
CA6XG Stacking kit (CA6XGSTACKING)	1,619
Equipment stand (CA6B)	4,136
Proofer base (CA6PX)	17,788
Wire shelf for CA6PX proofer base (GR2635)	461
International Voltage (Must Specify)	Call Factory

Doyon Convection Ovens Jet Air Series

Superior Air Flow



JA Series

Model	Description	Catalog Page	List Price
JA4	Jet Air Convection Oven, capacity 4 full size sheet pans, electric	9	23,288
JA4SC	Jet Air Convection Oven on casters, capacity 4 full size sheet pans, electric	9	29,121
JA6	Jet Air Convection Oven, capacity 6 full size sheet pans, electric	9	26,932
JA6SL	Jet Air Convection Oven, capacity 6 full size sheet pans, side-load, electric	9	60,055
JA6G	Jet Air Convection Oven, capacity 6 full size sheet pans, gas	9	26,678
JA8X*	Jet Air Convection Oven, capacity 8 full size sheet pans, electric	9	39,314
JA8XG*	Jet Air Convection Oven, capacity 8 full size sheet pans, gas	9	50,778
JA8XR*	Jet Air Convection Oven, retherm mode, capacity 8 full size sheet pans, electric	9	42,618
JA12SL	Jet Air Convection Oven, dual oven, capacity 12 full sz. pans, side-load, electric	9	47,052
JA14	Jet Air Convection Oven, dual oven, capacity 14 full size sheet pans, electric	9	50,413
JA14G	Jet Air Convection Oven, dual oven, capacity 14 full size sheet pans, gas	9	63,144
JA28	Jet Air Convection Oven, quad oven, capacity 28 full size sheet pans, electric	10	95,978
JA28G	Jet Air Convection Oven, quad oven, capacity 28 full size sheet pans, gas	10	117,697

*Touchscreen controls

Doyon Convection Ovens Jet Air Series

Options	List Price
Water Filter (PLF240)	882
High temperature door gasket, per section (HTG001): n/a on JA8X, JA8XR & JA8XG	1,357
Equipment stand:	
JA4 (JA4B)	4,183
JA6, JA6G (JA6B)	4,028
JA6SL (JA6SLB)	4,061
JA8X, JA8XG, JA8XR (JA8B)	4,143
Nickel-plated pizza shelf	
JA4, JA4SC, JA12SL (GRPIZ3)	864
JA6, JA6SL, JA6G, JA28, JA28G (GRPIZ6)	980
JA8X, JA8XG, JA8XR, JA14, JA14G (GRPIZ8)	925
Gas connection kit	
JA6G, JA8XG, JA14G (GAH600)	949
JA28G (GAH700)	2,115
International Voltage (Must Specify)	Call Factory



Doyon Ovens Artisan Stone Deck Series

See next page
for options

Artisan Deck Ovens (chamber heights of 6", 8", 10", 12"; specify when ordering)

Model	Description	Catalog Page	List Price
1T1	Single deck, single pan capacity	12	27,593
1T2	Two deck, single pan capacity (per deck)	12	43,324
1T3	Three deck, single pan capacity oven (per deck)	12	60,645
1T4	Four deck, single pan capacity (per deck)	12	77,428
2T1	Single deck, two pan capacity	13	36,647
2T2	Two deck, two pan capacity (per deck)	13	63,581
2T3	Three deck, two pan capacity oven (per deck)	13	90,252
2T4	Four deck, two pan capacity (per deck)	13	114,930
3T1	Single deck, three pan capacity	14	50,033
3T2	Two deck, three pan capacity (per deck)	14	84,617
3T3	Three deck, three pan capacity (per deck)	14	118,467
3T4	Four deck, three pan capacity (per deck)	14	154,814
4T1	Single deck, four pan capacity	15	57,992
4T2	Two deck, four pan capacity (per deck)	15	101,388
4T3	Three deck, four pan capacity (per deck)	15	135,435
4T4	Four deck, four pan capacity (per deck)	15	186,149

Pan size: 18"x26" full size sheet pans

Doyon Ovens Artisan Stone Deck Ovens

Options	List Price
Loaf Loader	
1T, 2T, 3T (LL)	951
4T (LL4T)	1,227
Standard proofer (1-2 deck ovens only)	
1T (ES1T)	16,947
2T (ES2T)	23,779
3T (ES3T)	27,073
4T (ES4T)	31,895
Low profile proofer (3 deck ovens only)	
1T3 (ES1TP)	15,232
2T3 (ES2TP)	21,320
3T3 (ES3TP)	27,049
4T3 (ES4TP)	29,036
Ship Decks Separate (ARTISANSHIP)	contact factory



Optional Loaf Loader



1T2 with ES1T proofer base

Options	List Price
Water Filter (50-1530)	2,667
Replacement water filter cartridge (50-1531)	845
Cleaning brush (MPA085)	284
Change voltage from 3Ph to 1Ph (per deck)	2,331
Change voltage to 380-415V (per deck)	2,331
Change voltage to 440V (per deck)	2,331
Change voltage to 480V	2,331

Doyon Pizza Ovens

Fast and Even Heat Delivery

TRIO Ventless Rotating Rack Pizza Oven

Model	Description	Catalog Page	List Price
RPO3	Rotating deck oven, 3 individual pizza decks	17	22,119



PIZ Series

Model	Description	Catalog Page	List Price
PIZ3	Multi-purpose deck oven, capacity 3 18" pizzas, electric	18	26,080
PIZ3G	Multi-purpose deck oven, capacity 3 18" pizzas, gas	18	36,282
PIZ6	Multi-purpose deck oven, capacity 6 18" pizzas, electric	18	32,243
PIZ6G	Multi-purpose deck oven, capacity 6 18" pizzas, gas	18	37,723



Doyon Pizza Ovens

Options	List Price
Equipment stand	
RPO3 (RPOT)	2,426
PIZ3, PIZ3G (PIZ3B)	3,462
PIZ6, PIZ6G (PIZ6B)	3,516
Two deck kit (RPO3)	no charge
RPO3 Stacking kit:	
Bracket (50087211)	585
Low profile stand to hold 2 stacked ovens (RPOT2)	2,426
3 timers on each side of oven, PIZ models (3PIZTIMERS)	5,604
6 timers on one side, right/left, PIZ models (6PIZTIMERS)	5,662
Internal steam, PIZ3, PIZ6, electric models only (PIZSTEAMER)	2,339
Water filter (Only if Equipped with Steam) (PLF240)	882
Solid doors, PIZ models	no charge
Gas connection kit, PIZ3G, PIZ6G (GAH600)	2,155
Conform to EC for gas, PIZ3G, PIZ6G (PIZ3GEU, PIZ6GEU)	7,212
International Voltage (Must Specify)	Call Factory
Cool Air Snorkel (50088060)	1,035
PIZ3 Heat Shield	
Left (PIZ3-LHS)	1,986
Right (PIZ3-RHS)	1,986
PIZ6 Heat Shield	
Left (PIZ6-LHS)	1,986
Right (PIZ6-RHS)	1,986
PIZ6G Cooling Fan Kit	
Left (PIZ6GCKL)	3,036
Right (PIZ6GCKR)	3,036



PIZ3B Equipment Stand
(shown with PIZ3 oven)



Doyon Convection Oven Proofer Combinations Jet Air Series

Superior Baking Flexibility

JAOP Series

Model	Description	Catalog Page	List Price
JAOP3	Oven Proofer, oven capacity 3 pans/proofer 9 pans, electric	21	34,381
JAOP6	Oven Proofer, oven capacity 6 pans/proofer 18 pans, electric	21	40,420
JAOP6SL	Oven Proofer, oven capacity 6 pans/proofer 9 pans, side-load, electric	21	45,084
JAOP6G	Oven Proofer, oven capacity 12 pans/proofer 18 pans, gas	21	40,769
JAOP12SL	Oven Proofer, oven capacity 12 pans/proofer 18 pans, side-load, electric	22	66,861
JAOP14	Oven Proofer, oven capacity 14 pans/proofer 32 pans, electric	22	68,761
JAOP14G	Oven Proofer, oven capacity 14 pans/proofer 32 pans, gas	22	81,458

Pan size: 18"x26" full size sheet pans

Options	List Price	Options	List Price
Water Filter (PLF240)	882	High temperature gasket, per section (HTG001)	1,357
Nickel plated pizza decks		Humidified warmer in proofer (HW001)	2,166
JAOP3, JAOP6SL, JAOP12SL (GRPIZ3)	864	Gas connection kit:	
JAOP6, JAOP6G, JAOP14, JAOP14G (GRPIZ6)	980	JAOP6G, JAOP14G (GAH600)	2,115

Doyon Perfect Proofers and Retarder Proofers

Customizable and Connected



Ships flat for easy assembly on site!



Retarder Proofers

Model	Description	Single End Load Rack	Single Side Load Rack	Double Rack	Catalog Page	List Price
KDPR11	Roll-in retarder proofer	1	2	1	23	50,796
KDPR12	Roll-in retarder proofer	3	4	2	23	70,187
KDPR13	Roll-in retarder proofer	5	6	3	23	93,269
KDPR21	Roll-in retarder proofer	3	4	2	23	60,180
KDPR22	Roll-in retarder proofer	8	8	4	23	116,402
KDPR23	Roll-in retarder proofer	12	12	6	23	155,047
KDPR31	Roll-in retarder proofer	4	6	3	23	70,400
KDPR32	Roll-in retarder proofer	11	12	6	23	154,303
KDPR33	Roll-in retarder proofer	16	18	9	23	192,500

Proofers

Model	Description	Single End Load Rack	Single Side Load Rack	Double Rack	Catalog Page	List Price
KDP11	Roll-in proofer	1	2	1	24	39,655
KDP12	Roll-in proofer	3	4	2	24	54,208
KDP13	Roll-in proofer	5	6	3	24	64,152
KDP21	Roll-in proofer	3	4	2	24	45,310
KDP22	Roll-in proofer	8	8	4	24	60,690
KDP23	Roll-in proofer	12	12	6	24	102,784
KDP31	Roll-in proofer	4	6	3	24	66,413
KDP32	Roll-in proofer	11	12	6	24	101,376
KDP33	Roll-in proofer	16	18	9	24	115,044

Options	List Price
Water filter (50-1530)	2,573
Replacement Filter Cartridge (50-1531)	845
Door bumpers, per door (DB)	213
Factory installation and startup	4,200
Factory startup (install not included)	See page 17
Viewing window in Door (Per Door)	2,520

Options	List Price
Pass-through	
KDP11, KDP12, KDP13	2,777
KDPR11, KDPR12, KDPR13	2,777
KDP21, KDP22, KDP23, KDP31, KDP32, KDP33	5,141
KDPR21, KDPR22, KDPR23, KDPR31, KDPR32, KDPR33	5,141



Doyon Proofers

Precise Mix of Heat and Humidity

Roll In Proofers

Model	Description	Catalog Page	List Price
DRIP1	Roll-in rack proofer, single rack for 36 18"x26" sheet pans	25	21,900
DRIP1TLO	Roll-in rack proofer, two single racks or one double (TLO) rack	25	22,346
E236R	Roll-in rack proofer, two single racks	26	23,934
E236	Roll-in rack proofer, 1 + 10 shelves or two single racks	26	30,340
E236TLO	Roll-in rack proofer, 4 single racks or two double (TLO) racks	26	30,042
E336R	Roll-in rack proofer, 3 single racks	26	37,300
E336	Roll-in rack proofer, 2 + 10 shelves or 3 single racks	26	39,827
E336TLO	Roll-in rack proofer, 6 single racks	26	39,370

Racks not included

Options	List Price
Water filter (PLF240)	882
Prison Package (PROOFPP)	1,339
Solid door, per door (SD)	1,497
Door bumpers, per door (DB)	224
Additional side shelving, E236R only (SR26)	1,525
Additional side shelving, E336R only (SR36)	4,687

Doyon Display Warmers



"Fresh from the Oven" Quality

Display Warmers

Model	Description	Catalog Page	List Price
DRP3	Display warmer, 3 wire shelves	27	4,746
DRPR3	Display warmer, rotating rack, 3 pizza capacity	27	5,695
DRP4S	Display warmer, 4 wire shelves	27	5,485
DRPR4S	Display warmer, rotating rack, 4 pizza capacity	27	6,101
DRP4	Display warmer, 4 wire shelves, pizza graphic	27	5,695
DRPR4	Display warmer, rotating rack, 4 pizza capacity, pizza graphic	27	6,089

Options	List Price
Pass-thru (DRPPT)	1,229

Doyon Planetary Mixers

Heavy-Duty Mixing



SM Series General Purpose Planetary Mixers

Model	Description	Catalog Page	List Price
SM200	20 Qt. Mixer, 1/2 HP; includes bowl, flat beater, whip and dough hook	29	7,771
SM300	30 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook	29	12,801
SM402NA	40 Qt. Mixer, 1.5 HP; includes bowl, flat beater, whip and dough hook	29	16,826

Options: SM Mixers		List Price	
Slicer attachment (SM100CL)		5,086	
Meat grinder attachment (SM100HV)		1,121	
Stand for SM200 (SM200T)		2,513	
Extras	SM200	SM300	SM402NA
Dough hook (C)	520	951	1,916
Beater (P)	610	798	662
Whip (F)	938	1,220	778
Bowl (B)	1,386	1,631	1,622



BTF & BTL Heavy-Duty Planetary Mixers

Model	Description	Catalog Page	List Price
BTF010	10 Qt. Mixer, 1/2 HP; includes bowl, flat beater, whip and dough hook	30	15,898
BTF040	40 Qt. Mixer, 3 HP; includes bowl, flat beater, whip and dough hook	30	27,888
BTF060	60 Qt. Mixer, 4 HP; includes bowl, flat beater, whip and dough hook	30	32,446
BTF040H	40 Qt. Mixer, 3 HP with hub; includes bowl, flat beater, whip and dough hook	30	35,649
BTF060H	60 Qt. Mixer, 4 HP with hub; includes bowl, flat beater, whip and dough hook	30	41,808
BTL020	21 Qt. Mixer, 1 HP; includes bowl, flat beater, whip and dough hook	30	20,580
BTL100	100 Qt. Mixer, 4 HP; includes bowl, flat beater, whip and dough hook	31	104,939
BTL140	140 Qt. Mixer, 5-1/3 HP; includes bowl, flat beater, whip and dough hook	31	95,444
BTL100H	100 Qt., Mixer, 4 HP with hub; includes bowl, flat beater, whip and dough hook	31	120,209
BTL140H	140 Qt. mixer, 5-1/3 HP with hub; includes bowl, flat beater, whip and dough hook	31	116,230

Doyon Planetary Mixers Accessories



SM100CL slicer
attachment



SM100HV meat
grinder attachment

Options: BTF & BTL	List Price
Slicer attachment (SM100CL)	5,340
Meat grinder attachment (SM100HV)	1,177
Stainless steel finish (suffix I)	add 35%
Touchscreen controls	9,482
Feet for floor anchorage	1,930
Electric bowl lift (except BTF010 & BTF020)	7,607
International Voltage	No Charge
BTF010 only:	
Equipment stand (BTF020T)	2,933
10 qt dough hook (BTF010C)	872
10 qt flat beater (BTF010P)	938
10 qt whip (BTF010F)	1,039
10 qt bowl (BTF010B)	1,699
BTF020 only:	
Equipment stand (BTF020T)	2,933
20 qt dough hook (BTF020C)	1,037
20 qt flat beater (BTF020P)	1,129
20 qt whip (BTF020F)	1,240
20 qt bowl (BTF020B)	2,001
10 qt reduction kit (BTF020A)	3,914
BTF040 only:	
20 qt reduction kit (BTF040A); includes 20 qt bowl, dough hook, flat beater and whip	5,077
20 qt dough hook (BTF040AC)	1,373
20 qt whip (BTF040AF)	1,539
20 qt flat beater (BTF040AP)	1,373
20 qt bowl (BTF040AB)	2,001
40 qt dough hook (BTF040C)	1,301
40 qt whip (BTF040F)	1,996
40 qt flat beater (BTF040P)	1,389
40 qt bowl (BTF040B)	2,702
40 qt bowl dolly (BTF040D)	2,117

Options: BTF & BTL	List Price
BTF060 only:	
40 qt reduction kit (BTF060A); includes 40 qt bowl, dough hook, flat beater and whip	6,285
40 qt dough hook (BTF060AC)	1,605
40 qt whip (BTF060AF)	1,782
40 qt flat beater (BTF060AP)	1,729
40qt bowl (BTF060AB)	5,287
60 qt dough hook (BTF060C)	1,521
60 qt whip (BTF060F)	1,996
60qt flat beater (BTF060P)	1,567
60 qt bowl (BTF060B)	3,549
60 qt bowl dolly (BTF060D)	2,293
60 qt bowl scraper (BTF060S)	2,898
BTL100 only:	
100 qt bowl (BTL100B)	8,965
100 qt dough hook (BTF100C)	4,071
100 qt whip (BTF100F)	3,922
100 qt paddle (BTF100P)	4,666
100 qt scraper (BTF100S)	3,475
100 qt bowl dolly (BTL100D)	5,223
BTL140 only:	
140 qt bowl (BTL140B)	10,487
140 qt dough hook (BTF140C)	4,802
140 qt whip (BTF140F)	5,158
140 qt paddle (BTF140P)	4,802
140 qt scraper (BTF140S)	3,374
140 qt bowl dolly (BTL140D)	5,223



Doyon Spiral Mixers

Bowl Drain for Easy Cleaning



Shown in Stainless
Steel Construction

AEF Series Stationary Bowl Mixers

Model	Description	Catalog Page	List Price
AEF015SP	Stationary bowl mixer, 48 lb dough capacity; includes bowl and mixing tools*	34	24,362
AEF025SP	Stationary bowl mixer, 55 lb dough capacity; includes bowl and mixing tools*	34	31,135
AEF035SP	Stationary bowl mixer, 110 lb dough capacity; includes bowl and mixing tools*	34	38,915
AEF035	Stationary bowl mixer, 110 lb dough capacity; includes bowl and mixing tools**	34	43,070
AEF050	Stationary bowl mixer, 159 lb dough capacity; includes bowl and mixing tools**	34	52,227
AEF080	Stationary bowl mixer, 254 lb dough capacity; includes bowl and mixing tools**	34	65,520
AFR100	Stationary bowl mixer, 352 lb. dough capacity; includes bowl and mixing tools**	34	78,525
AFR150	Stationary bowl mixer, 529 lb. dough capacity; includes bowl and mixing tools**	34	87,559

*single phase; **3 phase

Options: AEF/AFR Mixers	List Price
Stainless steel construction	add 35%
Scraper & Paddle Attachment (See Note Below)	
AEF015SP Paddle	2,625
AEF025SP Paddle	2,625
AEF035SP/AEF035 Paddle	2,625
AEF050 Paddle	3,938
AEF080 Paddle	3,938
AFR100 Paddle	3,938
AFR150 Paddle	3,938
AEF015SP Scraper	4,043
AEF025SP Scraper	4,043
AEF035SP/AEF035 Scraper	4,043
AEF050 Scraper	4,699
AEF080 Scraper	4,699
AFR100 Scraper	4,699
AFR150 Scraper	4,699
International Voltage (Must Specify)	No Charge

AEF/AFR PADDLE & SCRAPER OPTION are only to be purchased at the same time of ordering equipment. These are to be installed by the factory prior and cannot be installed in the field. The SCRAPER can only be used with the PADDLE. These are installed in lieu of the dough hook and once installed cannot be changed back out. Designed specifically for yeast style cakes and extremely dense spreads.

Doyon Divider Rounders

Removable Dough Press Head

Semi-Automatic Divider/Rounders

Model	Description	Catalog Page	List Price
DSA4415	15 portion divider rounder; 4kg dough capacity	36	37,045
DSA4422	22 portion divider rounder; 4kg dough capacity	36	31,943
DSA4330	30 portion divider rounder; 3kg dough capacity	36	31,180
DSA4336	36 portion divider rounder; 3kg dough capacity	36	31,943
DSA4354	54 portion divider rounder; 3kg dough capacity	36	37,045
DSA4430	30 portion divider rounder, 4kg dough capacity	36	31,180
DSA4436	36 portion divider rounder, 4kg dough capacity	36	31,943

Portion weight based on hydration ratio of 55-65%

Options: DSA Divider Rounders	List Price
Stainless steel construction (Suffix I)	add 4,190
International Voltage (Must Specify)	No Charge
Additional press heads, includes plates* (DSAHXXXX; XXXX= Model's suffix)	9,813
<i>*Requires Head Set Ring If Moving Between DSA43XX & DSA44XX</i>	
Head Set Ring:	
30226300000012 for DSAH4330, DSAH4336, DSAH4354	1,264
30226000300232 for DSAH4415, DSAH4422, DSAH4430, DSAH4436	1,265
Dough Plate:	
FMF753 for DSA4415	948
FMF754 for DSA4422	948
FMF750 for DSA4330	948
FMF751 for DSA4336	948
FMF752 for DSA4354	948
FMF755 for DSA4430	948
FMF753 for DSA4436	948



Automatic Dough Divider and Rounder

Model	Description	Catalog Page	List Price
D20	20 portion hydraulic divider	38	39,208
DR45	Automatic rounder; rounds portions from 7 to 36 oz.	38	23,740

Portion weight dependent on hydration ratio



D20
Hydraulic Divider



DR45
Rounder

Reversible Sheeters

More Standard Features

LMA630
shown with
optional croissant
cutter



LSA/LMA Series Reversible Sheeters

Model	Description	Catalog Page	List Price
LSA516	Countertop sheeter; 71-1/2" wide	39	28,840
LSA520	Countertop sheeter; 91.1/4" wide	39	29,583
LMA620	Free-standing sheeter; 91-1/4" wide	39	37,759
LMA624**	Free-standing sheeter; 107" wide	39	38,110
LMA630**	Free-standing sheeter; 130-3/4 wide	39	38,635

**CUTTER HOUSING & CUTTER ONLY AVAILABLE FOR THESE MODELS



LSA516

Options: LSA/LMA Reversible Sheeters	List Price
Stainless steel construction, LMA Sheeters (LMAS)	8,876
Stainless steel construction, LSA Sheeters (LSAS)	8,943
Croissant cutter housing; Requires Cutter (RCM001)	9,204
Custom Croissant Cutter; Required with Housing (CC)	8,334
Equipment stand for LSA series sheeters (LSB516T)	2,719
International Voltage (Single Phase Only, Must Specify)	No Charge

Countertop Sheeters

Consistent Portions



DL Series Dough Sheeters

Model	Description	Catalog Page	List Price
DL12SP	Single roll sheeter; 12" dough width	40	5,211
DL12DP	Double roll sheeter; angled rollers for round product; 12" dough width	40	8,030
DL18SP	Single roll sheeter; 18" dough width	40	6,264
DL18P	Double roll sheeter; parallel rollers; 18" dough width	40	9,467
DL18DP	Double roll sheeter; angled rollers for round product; 18" dough width	40	9,040

Options: DL Series Sheeters	List Price
Foot pedal; for DL12DP, DL18P, DL18DP only (PC100091)	986
CSST Conformity kit for Quebec (DLCSSST)	1,172
International Voltage (Must Specify)	947

Bread Slicers

Slice 250 Loaves Per Hour



SM/CPF Bread Slicers

Model	Description	Catalog Page	List Price
SM302*	Bread slicer for loaves up to 5" high; 5/8" slices	41	7,397
SM302A*	Bread slicer for loaves up to 5" high; 3/4" slices	41	6,489
SM302B*	Bread slicer for loaves up to 5" high; 1/2" slices	41	6,489
SM302C*	Bread slicer for loaves up to 5" high; 1" slices	41	6,489

**For soft, sandwich style bread only*

Options: SM302 Series Only	List Price
Stainless steel equipment stand (SM302T)	2,639
SM Series International Voltage (Must Specify)	316

Water Meter & Chiller

Assure Product Quality



Water Meter

Model	Description	Catalog Page	List Price
DAF001	Water meter; digital control; 3.6 to 72.6 psi; min/max temperature	42	6,427
RAF100	Water chiller; single tank, 100 liter (26 gallon) capacity	42	16,128

Options	List Price
International Voltage (Must Specify)	No Charge

Freight Policy, Handling and Installation Fees

US Equipment Freight Policy

All freight will be quoted by the factory. To receive a freight quote, call 800.338.9886 or email sales@NU-VU.com. Please supply the following information:

- Ship to Zip Code
- Product Model Number(s)
- Quantity

A quote number will be provided and must be placed on any purchase order to get the special quoted rate. All freight quotes are valid for (30) thirty days. Extra Charges for Special Services are additional:

Call Before Delivery: \$55 Inside Delivery: \$80 per oven
Liftgate Delivery: \$150 Construction Site Delivery: \$115

Doyon reserves the right to bill any and all additional accessorial services not sent in writing or listed on the PO before shipping from our factory, and added on after the fact at the time of delivery without our notification or approval.

Accessory Handling Fee

Doyon reserves the right to charge a handling fee on all sales of products deemed as accessories. These are classified as:

- Mixer attachments
- Water filters
- Wire racks/shelves
- Gas connection kit
- Interchangeable divider head and/or dough plates
- Drip trough
- Nickel plated pizza deck
- Loaf loader
- Artisan deck brush
- Foot pedal for DL series dough sheeter
- Croissant cutter/housing for LMA630

Handling fee based on service level (Ground, Next Day Air, etc.) and number of packages.

Startup and Installation

Installation: Installation and startup are not included in the pricing for any item. Startup and installation are the responsibility of the buyer, its agent, contractor, as the case may be. Prices are net, no discounts.

Startup Fees:

Electric oven/proofer, DRIP Series, PIZ electric	\$965.00
Artisan Ovens	\$965.00
Gas oven/proofer, JA/CA Series, PIZ gas	\$965.00
E236 Series, E336 Series	\$965.00
Retarder proofer	\$965.00

Perfect Proofer Startup and Installation

Installation: Installation and startup are not included in the pricing for any item. Startup and installation are the responsibility of the buyer, its agent, contractor, as the case may be. Prices are net—no discounts.

Model	Installation with Startup	Startup Only
KDP11	4,200	704
KDP12	4,200	761
KDP13	4,200	932
KDP21	4,200	704
KDP22	4,200	761
KDP23	4,200	932
KDP31	4,200	704
KDP32	4,200	761
KDP33	4,200	932

Model	Installation with Startup	Startup Only
KDPR11	4,200	704
KDPR12	4,200	761
KDPR13	4,200	932
KDPR21	4,200	704
KDPR22	4,200	761
KDPR23	4,200	932
KDPR31	4,200	704
KDPR32	4,200	761
KDPR33	4,200	932

Terms of Sale

Doyon is committed to continuous improvement of the Customer experience. With that in mind, the following Terms & Conditions are for clarification to ensure smooth business transactions. If you need to return items, refer to the below for specific guidelines.

Terms and Method of Payment

All orders are subject to approval and acceptance by SELLER. No order accepted by SELLER shall be subject to cancellation, termination, suspension, change, reduction, cutback or other modification except with SELLER'S prior written consent based upon the Returns and Cancellations Policy.

SELLER'S standard terms of payment are for net 30 days from invoice date, with approved credit. The terms of credit, if extended, may be changed or credit may be withdrawn by SELLER at any time. Cash in advance (CIA) may be required on payments that are late more than twice during the calendar year or for new unestablished customers. No orders will be shipped on a Cash on Demand (COD) basis.

Late payments are subject to penalty based on the invoice subtotal in the following manner:

15 days past due – 1.0%
30 days past due – 1.5%
45 days past due – 2.0%
60 or more days past due – 10.0%

Prices do not include federal, state or local taxes, duties or other levies, now or hereafter enacted, applicable to the items deliverable under the sales order or invoice (hereinafter called ITEMS), which taxes, duties or other levies will be added by SELLER to the sales price and will be paid by BUYER unless BUYER provides SELLER with a proper Exemption certificate.

Packing for commercial shipment is included in contract price. Any special packaging, crating, or shipping instructions must be noted on BUYER'S original order and acknowledged by SELLER.

Title and Delivery

ITEMS shall be delivered FOB SELLER'S facility, and title thereto Shall pass to BUYER, upon SELLER'S delivery of the ITEMS to a Common carrier for shipment to BUYER.

Any pre-paid freight must be acknowledged by SELLER.

Orders qualifying for pre-paid freight, SELLER has the right to select the means of transportation.

Any accessorial charges incurred because of Customer request will be the responsibility of the requester.

Ordering Information

How to Place an Order:

- Federal ID Numbers: required for U.S. Customs purposes from all dealers (n/a in Canada)
- All orders are subject to acceptance by the local representative and our office
- All orders must have the dealer's name, address, phone number, purchase order number, purchase order dollar amount, and method of communication for all electronic invoices and order acknowledgements.
- All orders must include a requested ship date, ship to address, job name and location
- If you have requested a freight quote and wish to use the freight rate issued by the factory, you are required to place the issued freight quote number on the purchase order when sending it to the factory.

International Orders: All international orders must specify either CE or Non-CE specific products. All purchase orders submitted to the factory must include a complete electrical questionnaire. Any orders outside the US and Canada will be subject to a 5% Warranty Administration Fee, added to the invoice. These orders may be subject to other charges, including but not limited to, utility configuration and/or CE approval fees, international documentation fees, etc. Please contact the factory for specific details. Notes: Doyon reserves the right, without prior notice, to make changes and revisions in product specifications, design and materials which, in the opinion of the company will provide greater efficiency, performance and durability.

Inspection and Acceptance

Thoroughly inspect all shipments. Do not accept a damaged or short shipment until exception is noted on the freight bill and pictures have been taken. BUYER will be held responsible for all shipments with freight bills signed free and clear.

If concealed damage is discovered, contact the freight company immediately for inspection and file a claim. Concealed damage must Be reported to the carrier within 7 days of receipt. All damaged goods and shortages that are not properly documented and reported upon receipt become the sole responsibility of the BUYER.

Returns and Cancellations Policy

No returns will be accepted without an authorization number from Doyon Customer Service, utilizing the following criteria:

Order Changes & Cancellations 14 days prior to shipping may incur a 15% fee. Return requests must be submitted within 30 days of Shipment Date and will incur a 50% Restocking Fee, Customer pays freight and is responsible for any damage enroute. Subject to approval for new, unused equipment only.

No returns for SRO Series and KDP/KDPR Series products at any time.

No returns for Custom/Special Order products at any time.

Warranty Issue

Please contact service@nu-vu.com for all Doyon related warranty issues.

General

All prices are subject to change without notice. Orders from Authorized accounts will be accepted with the understanding that prices are those in effect at time of shipment. These prices are exclusive of all sales taxes with may be levied by State, Federal, or City governments

SELLER'S "Terms and Conditions" as set forth above shall govern all transactions.

SELLER reserves the right to change or discontinue the color, design, component content or price of any ITEMS in SELLER'S catalog or published price lists without prior notice at any time.

Pricing by Model Number

Model	List Price
1T1	27,593
1T2	43,324
1T3	60,645
1T4	77,428
2T1	36,647
2T2	63,581
2T3	90,252
2T4	114,930
3T1	50,033
3T2	84,617
3T3	118,467
3T4	154,814
4T1	57,992
4T2	101,388
4T3	135,435
4T4	186,149
AEF015SP	24,362
AEF025SP	31,135
AEF035	43,070
AEF035SP	38,915
AEF050	52,227
AEF080	65,520
AFR100	78,525
AFR150	87,559
BTF010	15,898
BTF040	27,888
BTF040H	35,649
BTF060	32,446
BTF060H	41,808
BTL020	20,580
BTL100	104,939
BTL100H	120,209
BTL140	95,444
BTL140H	116,230
CA6X	43,472
CA6XG	52,879
CA6PX	17,788
D20	39,208
DAF001	6,427

Model	List Price
DL12DP	8,030
DL12SP	5,211
DL18DP	9,040
DL18P	9,467
DL18SP	6,264
DR45	23,740
DRIP1	21,900
DRIP1TLO	22,346
DRP3	4,746
DRP4	5,695
DRP4S	5,485
DRPR3	5,695
DRPR4	6,089
DRPR4S	6,101
DSA4415	37,045
DSA4422	31,943
DSA4330	31,180
DSA4336	31,943
DSA4354	37,045
DSA4430	31,180
DSA4436	31,943
DSAH4415	9,812
DSAH4422	9,812
DSAH4330	9,812
DSAH4336	9,812
DSAH4354	9,812
DSAH4430	9,812
DSAH4436	9,812
E236	30,340
E236R	23,934
E236TLO	30,042
E336	39,827
E336R	37,300
E336TLO	39,370
JA12SL	47,052
JA14	50,413
JA14G	63,144
JA28	95,978
JA28G	117,697

Model	List Price
JA4	23,288
JA4SC	29,121
JA6	26,932
JA6G	60,055
JA6SL	26,678
JA8X	39,314
JA8XG	50,778
JA8XR	42,618
JAOP12SL	66,861
JAOP14	68,761
JAOP14G	81,458
JAOP3	34,381
JAOP6	40,420
JAOP6G	45,084
JAOP6SL	40,769
KDP11	39,655
KDP12	54,208
KDP13	64,152
KDP21	45,310
KDP22	60,690
KDP23	102,784
KDP31	66,413
KDP32	101,376
KDP33	115,044
KDPR11	50,796
KDPR12	70,187
KDPR13	93,269
KDPR21	60,180
KDPR22	116,402
KDPR23	155,047
KDPR31	70,400
KDPR32	154,303
KDPR33	192,500
LMA620	37,759
LMA624	38,110
LMA630	38,635
LSA516	28,840
LSA520	29,583
PIZ3	26,080

Model	List Price
PIZ3G	36,282
PIZ6	32,243
PIZ6G	37,723
PLF240	882
RAF100	16,128
RPO3	22,119
RSRO1-10	4,728
RSRO1-12	5,043
RSRO1-15	5,357
RSRO1-20	5,778
RSRO1-8	4,518
RSRO2-10	5,778
RSRO2-12	6,409
RSRO2-15	6,724
RSRO2-20	7,249
RSRO2-8	5,621
RSROSL-10	4,725
RSROSL-12	5,043
RSROSL-15	5,384
RSROSL-20	5,722
RSROSL-8	4,518
SM100CL	5,340
SM100HV	1,177
SM200	7,771
SM300	12,801,
SM302	7,397
SM302A	6,489
SM302B	6,489
SM302C	6,489
SM402NA	16,826
SRO1E	129,903
SRO1G	137,014
SRO2E	141,561
SRO2G	148,457

See product pages for pricing on parts & accessories.

Limited Commercial Warranty

Two year parts and one year labor limited warranty for USA and Canada only

One year limited parts only warranty for All International Markets

This Doyon® warranty applies to all equipment that has been unaltered, properly installed and maintained in accordance with the Doyon® installation manuals.

Doyon® products are warranted to the original purchaser to be free from defects in material and workmanship for a period of two years from the date of original installation, not to exceed 30 months from the product manufactured date. This warranty does not apply to equipment damaged, abused or altered accidentally or intentionally or modified by unqualified service personnel or with missing or altered serial nameplates. In order to be warranted, the equipment from the original buyer must have been purchased through a reseller from the same country.

Doyon® agrees to repair or replace defective parts due to flaws in material or workmanship during the warranty period. Labor to repair or replace defective parts shall be warranted when performed by an authorized Doyon® service agency. Travel over 50 miles, holiday or overtime labor charges are not covered.

Proper installation, initial inspection, or normal maintenance such as lubrication, adjustment or calibration is the responsibility of the dealer, owner-user or installing contractor and is not covered by this warranty.

This warranty does not cover wear & tear items (lights bulbs, gaskets), temperature calibration or defects resulting from handling, abuse, misuse, nor shall it extend to any unit from which the serial number has been removed or altered or the unit is modified in any way, shape, or form by an unauthorized service personnel. As well our warranty does not covered damaged by flood, fire, or other acts of god. Nor will this warranty apply as regards to the immersion element damage by hard water.

Doyon® does hereby exclude and shall not be liable to purchaser for any consequential or incidental damages including but not limited to: damages of property, damages for loss of use, loss of time, loss of profits or income that are in direct result of a breach or warranty.

NOTE: Warranty excludes racks and bread cabinets. These items carry a (1) year limited parts warranty.

In no case, shall this warranty apply outside Canada and the Continental United States, unless the purchaser has a written agreement from Doyon.



5600 13th Street
Menominee, MI 49858
800.338.9886



800.338.9886 | sales@doyonbaking.com | www.doyonbaking.com